

BIANNUAL SURFACE WATER AND BIOLOGICAL STREAM SAMPLING AROUND RUMPKE AND BOND ROAD LANDFILLS

July 2025



PREVENT. PROMOTE. PROTECT.

For more information, please contact:

Hamilton County Public Health
Department of Environmental Health Services
250 William Howard Taft, 2nd Floor
Cincinnati, Ohio 45219
(513) 946-7800
www.hamiltoncountyhealth.org

Introduction

Hamilton County Public Health conducted biannual sampling of the surface water streams around the Rumpke Colerain Sanitary Landfill on June 27 and October 24, 2024. Additionally, biannual sampling of Bond Road Sanitary Landfill was conducted on July 2 and November 18, 2024.

Sampling Locations

Rumpke Colerain Sanitary Landfill, located in Colerain Township, Hamilton County, Ohio, is situated at the northeast intersection of US-27 and Struble Road. The limits of waste exists within the facility's boundary, which is bordered by Struble Road to the south, US-27 to the west, Bank Road to the north/northwest, Crest and Buell Road to the northeast/east and Breezy Acres Drive to the southeast.

Three sedimentation ponds are located on the site, identified as the NW Pond, SE Pond and North Pond. The North Pond was constructed in 2022 due to the eastern expansion and is not yet fully functional. The sedimentation ponds collect rainwater run-off from the landfill and settle out the suspended solids/silt prior to discharging into the adjacent streams and creeks.

Generally, two watersheds surround the landfill: the western watershed and the eastern watershed. The NW Pond discharges into the western watershed, while the SE Pond discharges into the eastern watershed. Once fully operational, the North Pond will also discharge into the western watershed.

The sampling locations around the landfill consist of the NW Pond and SE Pond outfalls, and their respective upstream and downstream locations (Figure 1).

Western Watershed Sampling Locations:

NW Pond

The discharge/outfall location for the sedimentation pond located on the west/northwest portion of the landfill. The pond discharges into the western watershed surrounding the landfill where Banklick creek borders the landfill and flows north/northeasterly along Bank Road.

- S-1 Located downstream from the NW Pond and S-2 at the northern end of the landfill in Banklick creek along Bank Road. This is generally a creek with a series of riffles and pools. The bottom is silty in the pool areas and rocky in the riffle areas.
- S-2 Located downstream from the NW Pond outfall and at the western edge of the landfill, upstream from S-1, in Banklick creek along Bank Road. The sampling location is west of the overpass below the culvert in a small, shallow pool. The bottom is silty in the pool areas and rocky to solid bedrock in the shallow riffle areas.

- S-3 Located upstream, above the NW Pond outfall, in an unnamed stream west of Banklick creek. The sampling location is a series of very small, shallow pools and riffles. The bottom is solid rock to rocky with some silt.
- S-11 Located upstream, above the NW Pond outfall, in a stream west/southwest of the landfill, across US-27. The stream consists of very small shallow pools. The sampling location was added in 2014 as an additional upstream location.
- S-13 The furthest downstream location from the NW Pond outfall in Banklick creek along Bank Road. The sample location was added in 2022 due to the eastern expansion of the landfill and newly constructed North Pond. The 2022 sampling results will provide background analytical data for comparison purposes as the landfill expands and the North Pond outfall becomes fully operational. The sample location consists of ponding pools and rocky bottom.

Headwall Seep

Located upstream from the NW Pond outfall and downstream from S-11 where the stream west/southwest of the landfill emerges from an underground culvert at an existing headwall. The seep was identified coming from the weep holes at base of the headwall while Hamilton County Public Health was investigating a potential source of elevated concentrations in 2021. The seep was clear, but areas of discoloration were noted on the headwall where it had been continuously flowing; the seep also smelled of sulfur.

Eastern Watershed Sampling Locations:

SE Pond

The discharge/outfall location for the sedimentation pond located on the southeast portion of the landfill. The pond discharges into the eastern watershed surrounding the landfill in an unnamed stream east of the landfill, across Hughes Road.

- S-9 Located upstream, above the SE Pond outfall, and east of the landfill in an unnamed stream east of Hughes Road and west of Buell Road. The sample location consists of a series of very small, shallow pools with a rocky bottom. The sample location was added in 2008 due to the southern expansion of the landfill. The sample location was removed during the October 2022 sampling event due to the eastern expansion of the landfill.
- S-10 Located downstream from the SE Pond outfall, in an unnamed stream east of the landfill. The sample location consists of a series of small, shallow pools with a rocky bottom. The sample location was added in 2008 due to the southern expansion of the landfill.
- S-12 The furthest downstream location from the SE Pond outfall, located at the northern end of the landfill, in an unnamed stream that flows along Buell Road to Crest Road and eventually into Banklick Creek. The sample location was added in 2019

due to the eastern expansion of the landfill and consists of ponding pools and rocky bottom.

Bond Road Sanitary Landfill, located in Whitewater Township, is situated in western Hamilton County, Ohio. The landfill borders the State of Indiana to the west and Bond Road to the north. In 2021, Rumpke purchased 466 acres of land south of the existing landfill for purposes of future development and improvements, extending the southern landfill border to Sand Run Road. Improvements to the site will include the relocation of the facility entrance to Sand Run Road, accompanied by an access road to the existing limits of waste placement. Sampling locations around the Bond Road Sanitary Landfill consists of the following five sites (Figure 2):

- B-1 Located at the east end of the sedimentation pond which discharges to a tributary to Fox Run.
- B-3 Located south of the landfill in an unnamed tributary to Fox Run where most water is generated from storm swales. The sample location was added in 2022 due to proposed developments and improvements at the facility.
- B-4 Located on the southeast end of the property in Fox Run. The sample location was added in 2022 due to proposed developments and improvements at the facility.
- B-5 Located near the landfill entrance along Sand Run Road. The sample location was added in 2022 due to proposed developments and improvements at the facility.

Methods

Surface water sampling was conducted in the Spring and Fall by obtaining grab samples in streams around each of the landfills where possible. Generally, Spring sampling is more influenced by precipitation and Fall sampling is more influenced by groundwater. Efforts are made to collect the samples during low flow times where groundwater contributions are considered to be greater. This monitoring was performed to serve as an indicator of water quality above and below each landfill.

Samples were collected in polyethylene wide-mouth jars ranging in size from 250 mL to 500 mL and two set of hypovials for sampling volatile organic compounds. Depending on the sampling parameter, samples were either unpreserved or preserved with hydrochloric acid, sulfuric acid, nitric acid, or sodium hydroxide (as required). All samples were placed in a cooler on ice. Samples were analyzed by Eurofins Environmental Testing. Chain-of-custody protocols were followed. Water temperature was recorded using a Taylor thermometer near the sampling location.

Biological water samples were collected at each of the sampling locations. Biological samples were collected using an aquatic kick net with 1000-micron mesh. A kick technique was used to loosen organisms from riffle areas of the streams and then the area was

swept with the net. Hand picking of organisms off the rock surfaces was also employed at the sample locations.

Results and Discussion

Water Quality Monitoring

Rumpke Sanitary Landfill

The surface water sampling results from the 2024 sample events are presented in Table 1, and include sampling results dating back to 2010.

Western watershed:

The western watershed surrounding the landfill consists of upstream sample locations S-3 and S-11, the NW Pond outfall, and downstream sample locations S-1, S-2 and S-13. S-13 was added in 2022, and is located downstream of the newly installed North Pond. The NW Pond outfall was not flowing and could not be sampled during the 2024 sampling events.

Sampling results comparing the upstream sample locations (S-3 & S-11) and downstream sample locations (S-1, S-2 & S-13) are illustrated on Figures 3 & 4 and narrated below:

- Chloride was detected above the secondary maximum contaminant level (SMCL) of 250 mg/l in upstream sample location S-11 during the June (682 mg/l) and October sampling events (522mg/l). Chloride was not detected above the SCML in upstream sample S-3 during 2024.
 - Chloride was detected above the SCML in all downstream sample locations (S-1, S-2 & S-13) during the 2024 sampling events.
- Sulfate was detected at the SMCL of 250 mg/l in upstream sample S-11 during the October sampling event (250 mg/L). Sulfate was not detected above the SCML in upstream sample S-3 during 2024.
 - Similarly to chloride, sulfate was detected above the SCML in all downstream sample locations (S-1, S-2 & S-13) during the 2024 sampling events.
- All upstream and downstream sample locations were above the SMCL of 500 mg/L for total dissolved solids (TDS) during the 2024 sampling events.
- In June and October 2024, iron was detected above the SMCL of 0.3 mg/l in upstream sample location S-3 at 0.394 mg/L & 0.614 mg/L, respectively. And above the SMCL in upstream sample location S-11 during the October 2024 sampling event (0.933 mg/L).
 - Iron was non-detect in downstream location S-2 during the 2024 sampling events while all other downstream sample locations were below the SMCL in 2024.

- In June and October 2024, manganese was detected above the SMCL of 0.05 mg/l in upstream sample locations S-3 at 0.104 mg/L & 0.115 mg/L, respectively. And above the SMCL in upstream sample location S-11 during the October 2024 sampling event (0.0604 mg/L).
 - Manganese was detected above the SMCL in downstream sample location S-1 during both 2024 sampling events and above the SMCL in downstream sample location S-13 in June 2024. Downstream sample location S-2 was non-detect or below the SMCL for manganese during both 2024 sampling events.
- Ammonia was not detected in the upstream or downstream sample locations in 2024.
- Comparing sampling analytical results with years' past, concentrations of TDS, chloride and sulfate at the downstream samples S-1, S-2 and S-13 continue to be elevated as they were during the 2021 through 2023 sampling events. The high concentrations of the analytes in the downstream samples in 2024 is likely the result of the NW Pond outfall not being open, diluting the waters during sample collection.

In 2021, in determining a potential source of the elevated concentrations, Hamilton County Public Health surveyed areas upstream from S-2 to an existing headwall where the stream continues along the western landfill through an underground culvert. At the base of the headwall, a seep was identified coming from the weep holes installed to keep moisture from accumulating behind it. The seep was clear, but areas of discoloration were noted where it had been continuously flowing; the seep also smelled of sulfur.

The headwall seep was sampled during the 2022, 2023 and 2024 sampling events, and the results identified similarly increased concentrations of TDS, chloride and sulfate compared to downstream sample locations S-1, S-2, and S-13.

Hamilton County Public Health will continue to communicate with the Ohio EPA and Rumpke to further evaluate the headwall seep and determine its origin, whether it be groundwater, surface water or possibly landfill derived. The Ohio EPA, Hamilton County Public Health, and third-party consultants have determined that the headwall seep is not an imminent threat to public health or the environment as further sampling and investigation continues.

Eastern watershed:

The eastern watershed surrounding the landfill consists of the SE Pond discharge point, and downstream sample locations S-10 and S-12. Sample location S-9 could no longer be an effective upstream sample location during the October 2022 sampling event due to the eastern expansion of the landfill. Sampling results comparing the SE Pond and downstream sample locations (S-10 & S-12) are illustrated on Figures 5 & 6 and narrated below:

- Chloride was detected below the secondary maximum contaminant level (SMCL) of 250 mg/l in the SE Pond outfall sample during both 2024 sampling events.
 - Chloride was detected above the SMCL in downstream sample location S-10 during both 2024 sampling events (302 mg/L & 614 mg/L, respectively) and downstream sample location S-12 in October 2024 (395 mg/).
- Sulfate was detected below the secondary maximum contaminant level (SMCL) of 250 mg/l in the SE Pond outfall sample in June and October 2024.
 - Sulfate was detected below the SMCL in downstream sample locations S-10 and S-12 in June 2024, but above the SMCL for sulfate October 2024.
- Total dissolved solids (TDS) was detected above the SMCL of 0.05 mg/l in all sample locations during both 2024 sampling events.
- Iron was detected above the SMCL of 0.05 mg/l in all sample locations during both 2024 sampling events.
- Manganese was detected below the secondary maximum contaminant level (SMCL) of 0.05 mg/l in the SE Pond outfall sample during the June 2024 sampling event (0.0386 mg/L) and above the SMCL in October 2024 (0.0805 mg/L).
 - Manganese was detected above the SMCL in downstream sample location S-10 and S-12 during both 2024 sampling events.
- In October 2024, ammonia was detected above the 0.2 mg/l laboratory limits in the SE Pond outfall sample (0.369 mg/L) and downstream sample S-10 (0.33 mg/L). Less than 1.0 mg/L ammonia is considered usual for natural waters.
- No other parameters were above the MCL/SMCL/Action Level.

Bond Road Landfill

Surface water sampling at the Bond Road Landfill was conducted at the B-1 location for both sample periods (Table 2). Iron was detected above the SMCL of 0.30 mg/L during the November 2024 sampling event and manganese was detected above the SMCL of 0.05 mg/L during the both 2024 sampling events.

Additionally, surface water sampling was conducted at newly established sample locations B-3, B-4 and B-5 and will provide background analytical data for comparison purposes as the landfill develops. Sample location B-3 was dry in June and October 2024 and could not be sampled.

Biological Monitoring

Biological organisms can provide an indication of water quality based on their typical habitat requirements. For example, organisms such as isopods (sowbugs) inhabit relatively unpolluted shallows. Amphipods (sideswimmers), plecoptera (stoneflies),

ephemeropterans (mayflies), some odonatans (dragonflies and damselflies), trichopterans (caddisflies), and turbellarians (flatworms) need an abundance of dissolved oxygen (DO) to survive and are indicative of good stream quality. Hemipterans (water boatman bugs) and some gastropods (pouch snails) are semi-tolerant to low DO. Dipterans (flies, mosquitos, and midges) are able to live in low DO environments and are much more tolerant of pollution. Some of these organisms can live in only low current streams; in unpolluted clear waters; occur in debris (masses of leaves and algae); occur under stones; occur in vegetation; occur in mud; found in decaying vegetation; or occur only in ponds. These ecological characteristics can provide an indication of a clean versus a polluted environment. Some organisms have specific physical features such as respiratory tubes (Dipteran larva), which enable those organisms to survive in low DO environments or in highly polluted waters.

Table 3 presents the results of biological monitoring around each licensed landfill over both sampling periods. Data is also presented from the 2010 through 2023 monitoring events for comparison.

Rumpke Sanitary Landfill

The Rumpke landfill streams were biologically monitored two times in 2024. In June, the day was cloudy with a temperature around 77° F. In October, the day was partly to partly cloudy with a temperature around 56° F.

Western watershed:

Because the NW Pond outfall was closed during the 2024 sampling events, downstream sample locations (S-1, S-2, and S-13) along Banklick creek were very slow with small pools of water.

Upstream Sample Locations

- Sow bugs were among the organisms observed in June at upstream sample location S-3. Salamanders, sowbugs and scuds were observed in October.
- Six types of organisms were observed in June at upstream sample location S-11, including caddisfly and sowbugs. Water pennies and sow bugs were among the organisms observed in October.

Downstream Sample Locations

- While sow bugs were predominantly observed among the organisms in downstream sample location S-1 in June and October, water pennies, riffle beetles, mayflies and caddisflies were also identified.

- Water pennies, caddisflies, mayflies and sow bugs were observed during the June and November sampling events at downstream sample location S-2.
- Sample location S-13 was added in 2022 to provide a downstream sample location to the newly constructed North Pond. The location is also downstream from sample locations S-1 & S-2. Similarly, water pennies, caddisflies and sow bugs were all observed during 2024.

Eastern watershed:

During both 2024 sampling events, the SE Pond outfall was open and flowing. Stream flow in downstream sample locations, S-10 and S-12, was slow, with larger pools of water.

Upstream Sample Location

- The upstream sample location (S-9) was omitted in 2022 to advancement of the eastern expansion of the landfill.

Downstream Sample Locations

- Five types of organisms were observed in both in June at downstream sample location S-10, predominantly sow bugs, mayflies and caddisflies. Four types of organisms were observed in October, including water pennies, caddisflies and sowbugs.
- Crayfish and water striders were the organisms identified in June at downstream sample location S-12. In October, water pennies and sow bugs were identified.

Bond Road Landfill

The Bond Road landfill sedimentation pond and nearby streams were biologically monitored two times in 2024. In July, the day was mostly cloudy with a temperature around 75°F. In November, the day was mostly cloudy with a temperature around 59°F.

Samples are typically taken at the southeast corner of the sedimentation pond and in the dissipater box below the pond (identified as sample location B-1). Cranefly larvae and sowbugs were noted in July while water pennies, riffle beetles, sowbugs and pouch snails were observed in November.

Biological sampling was also conducted at newly established sample locations B-3, B-4 and B-5 to provide background data as the landfill develops. Sample location B-3 was dry during both 2024 sampling events.

Conclusions

The results of the water quality and biological monitoring conducted in 2024 at Rumpke Sanitary Landfill and Bond Road Landfill are consistent with past sampling periods. The continued presence of certain key organisms in the downstream sample locations indicate an unpolluted environment, although stream conditions and seasons seem to primarily affect the number and types of organisms sampled.

Hamilton County Public Health will continue to communicate with the Ohio EPA and Rumpke to further evaluate the headwall seep. The Ohio EPA, Hamilton County Public Health, and third-party consultants have determined that the headwall seep is not an imminent threat to public health or the environment as further sampling and investigation continues.



Figure 1
Rumpke Sanitary Landfill



Stream Sampling Locations



Figure 2
Bond Road Landfill



Sampling Locations



Figure 3

Comparison of Western Watershed Sampling Locations

June 27, 2024



➡ Surface water flow direction

Red indicates above the MCL/SMCL/Action Level

Upstream Sample Locations

<u>S-11</u>
Chloride: 682 mg/L
Sulfate: 217 mg/L
TDS: 1,610 mg/L
Iron: 0.121 mg/L
Manganese: 0.0142 mg/L
Ammonia: Non-detect

<u>S-3</u>
Chloride: 243 mg/L
Sulfate: 70.1 mg/L
TDS: 783 mg/L
Iron: 0.394 mg/L
Manganese: 0.104 mg/L
Ammonia: Non-detect

Downstream Sample Locations

<u>S-2</u>
Chloride: 1,750 mg/L
Sulfate: 869 mg/L
TDS: 4,140 mg/L
Iron: Non-detect
Manganese: 0.137 mg/L
Ammonia: Non-detect

<u>S-1</u>
Chloride: 1,820 mg/L
Sulfate: 884 mg/L
TDS: 4,020 mg/L
Iron: 0.273 mg/L
Manganese: 0.264 mg/L
Ammonia: Non-detect

<u>S-13</u>
Chloride: 1,440 mg/L
Sulfate: 518 mg/L
TDS: 2,960 mg/L
Iron: 0.291 mg/L
Manganese: 0.283 mg/L
Ammonia: Non-detect



Figure 4

Comparison of Western Watershed Sampling Locations

October 24, 2024



→ Surface water flow direction

Red indicates above the MCL/SMCL/Action Level

Upstream Sample Locations

<u>S-11</u>
Chloride: 522 mg/L
Sulfate: 250 mg/L
TDS: 1,370 mg/L
Iron: 0.933 mg/L
Manganese: 0.0604 mg/L
Ammonia: Non-detect

<u>S-3</u>
Chloride: 172 mg/L
Sulfate: 106 mg/L
TDS: 785 mg/L
Iron: 0.614 mg/L
Manganese: 0.115 mg/L
Ammonia: Non-detect

Downstream Sample Locations

<u>S-2</u>
Chloride: 2,480 mg/L
Sulfate: 1,310 mg/L
TDS: 4,710 mg/L
Iron: Non-detect
Manganese: 0.0221 mg/L
Ammonia: Non-detect

<u>S-1</u>
Chloride: 1,840 mg/L
Sulfate: 1,020 mg/L
TDS: 4,350 mg/L
Iron: 0.287 mg/L
Manganese: 0.515 mg/L
Ammonia: Non-detect


<u>S-13</u>
Chloride: 1,470 mg/L
Sulfate: 585 mg/L
TDS: 2,540 mg/L
Iron: 0.115 mg/L
Manganese: 0.232 mg/L
Ammonia: Non-detect



Figure 5

Comparison of Eastern Watershed Sampling Locations

June 27, 2024



→ Surface water flow direction
Red indicates above the MCL/SMCL/Action Level

Upstream Sample Locations

S-9

No longer able to sample due to the construction of Eastern Expansion of landfill.

Outfall Location

SE Pond

Chloride: 146 mg/L
Sulfate: 148 mg/L
TDS: 560 mg/L
Iron: 0.78 mg/L
Manganese: 0.0386 mg/L
Ammonia: Non-detect

Downstream Sample Locations

S-10

Chloride: 302 mg/L
Sulfate: 241 mg/L
TDS: 974 mg/L
Iron: 0.784 mg/L
Manganese: 0.184 mg/L
Ammonia: Non-detect

S-12

Chloride: 200 mg/L
Sulfate: 154 mg/L
TDS: 676 mg/L
Iron: 0.775 mg/L
Manganese: 0.108 mg/L
Ammonia: Non-detect



Figure 6
Comparison of Eastern Watershed Sampling Locations
October 24, 2024



Upstream Sample Locations

S-9

No longer able to sample due to the construction of Eastern Expansion of landfill.

Outfall Location

SE Pond

Chloride: 134 mg/L
Sulfate: 158 mg/L
TDS: 559 mg/L
Iron: 2.5 mg/L
Manganese: 0.0805 mg/L
Ammonia: 0.369 mg/L

Downstream Sample Locations

S-10

Chloride: 614 mg/L
Sulfate: 428 mg/L
TDS: 1,530 mg/L
Iron: 0.541 mg/L
Manganese: 0.784 mg/L
Ammonia: 0.33 mg/L

S-12

Chloride: 395 mg/L
Sulfate: 266 mg/L
TDS: 1,140 mg/L
Iron: 0.45 mg/L
Manganese: 0.152 mg/L
Ammonia: Non-detect

Table 1.

*=split samples with OEP
**=low quality control check
associated with TDS results; suspect results accordingly
Bold Face=at/above the MCL or SMCL

Rumpke Sanitary Landfill
Surface Water Sampling Results

Standards		Field Temp. °C	Dissolved Oxygen mg/l	TDS mg/l - N	NH3 mg/l	NO2 - NO3 mg/l - N	Cl mg/l	SO4 mg/l	COD mg/l	P mg/L	Turb. NTU	Cond. umhos/cm	Bicarb mg/l	T. Alk. mg/l	Carb mg/l	pH	Hg mg/L	Ca mg/l	Fe mg/l	Mg mg/l	K mg/l	Na mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Cr mg/l	Co mg/l	Cu mg/l	Pb mg/l	Mn mg/l	Ni mg/l	Se mg/l	Ag mg/l	Al mg/l	B mg/l	Sr mg/l	V mg/l	Zn mg/l	VOCs			
MCL				10													0.002																											
SMCL			500		250	250										6.5-8.5		0.3												1	0.05			0.1				5						
Action Level																																												
Stream Sample	Date																																											
S-1	6/7/2010	-		1170	0.54	1.24	387	230	<50.0	-	6.6	1980	-	256	-	7.71	-	162	1.17	39.2	9.66	218	0.00034	<0.002	0.0605	<0.0002	<0.0002	0.000906	<0.003	0.000472	0.354	<0.007	<0.004	<0.0001						<0.0002	<0.004	<0.014	BDL	
S-1	10/14/2010	-		1340	0.063	0.0387	451	299	140	-	43	2140	233	238	<20.0	7.41	-	189	1.98	45.4	35.1	235	<0.0005	0.00509	0.0974	<0.0002	<0.0002	<0.002	0.00193	0.00385	0.00118	3.09	<0.008	<0.006	<0.0001						<0.0002	<0.003	<0.018	BDL
S-1	6/28/2011	19.9		881	0.136	0.399	228	197	<50.0	<0.1	12	1410	219	220	<20.0	8.07	<0.0002	122	0.597	24.4	6.16	127	<0.001	<0.01	0.0458	<0.001	<0.01	<0.001	<0.005	<0.001	0.163	<0.009	<0.01	<0.0005						<0.001	<0.02	<0.02	BDL	
S-1	10/25/2011	8.8		907	0.282	0.339	212	242	<50.0	<0.1	11	1420	197	198	<20.0	7.94	<0.0002	143	0.624	29.1	6.89	131	<0.001	<0.01	0.041	<0.001	<0.01	<0.005	<0.001	0.267	<0.0075	<0.01	<0.0005						<0.001	<0.02	<0.02	BDL		
S-1	6/7/2012	15.3		1160	0.221	1.24	327	230	<50.0	<0.100	12	1860	264	268	<10.0	7.88	<0.0002	157	0.506	40.2	8.56	179	<0.001	<0.01	0.0625	<0.001	<0.01	<0.001	<0.005	0.302	<0.01	<0.01	<0.0005						<0.001	<0.025	<0.02	BDL		
S-1	10/25/2012	12.5		1800	0.222	0.0205	597	325	<50.0	0.131	7.1	2820	289	290	<10.0	7.69	<0.0002	212	0.535	56.7	14.2	329	<0.001	<0.01	0.090	<0.001	<0.01	<0.0028	<0.005	<0.001	0.33	<0.019	<0.01	<0.0005						<0.001	<0.025	<0.026	BDL	
S-1	6/12/2013	20		974	<0.2	0.555	283	186	<10.0	<0.1	6.74	1650	281	-	8.06	<0.0002	148	0.511	32.9	7.63	167	<0.002	<0.005	0.0651	<0.001	<0.001	<0.002	<0.005	0.265	<0.00316	<0.005	<0.001						<0.001	<0.005	<0.020	BDL			
S-1	10/8/2013	14.5		489	0.345	0.318	96.5	180	10.3	0.117	29.7	794	96.8	-	7.89	<0.0002	81	1.28	15.9	5.95	57.4	<0.002	<0.005	0.0355	<0.001	<0.001	<0.002	<0.001	0.0298	<0.001	0.00304	<0.005	<0.001	<0.002	<0.005	<0.001	<0.0005	<0.001	<0.020	BDL				
S-1	5/21/2014	19.4		9.39	526	<0.200	0.176	80.1	212	28	<10.0	6.06	796	76.4	76.4	<5.00	8	<0.0002	87.5	0.764	15	4.21	44.1	<0.002	<0.005	0.027	<0.001	<0.002	<0.001	<0.005	0.067	<0.0021	<0.005	<0.001	<0.002	<0.005	<0.020	BDL						
S-1	10/27/2014	9.6		1760	<0.200	0.56	721	222	22.2	0.151	8.5	3040	334	334	<5.00	7.86	<0.0002	189	0.684	53.1	12.3	352	<0.002	<0.005	0.086	<0.001	<0.001	<0.002	<0.001	0.495	<0.0066	<0.005	<0.001	<0.002	<0.005	<0.020	BDL							
S-1	6/4/2015	16.8		8.5	1360	<0.200	0.879	513	230	23	<10.0	4.63	2430	240	240	<5.00	7.95	<0.0002	172	0.391	45.2	10.8	279	<0.002	<0.005	0.076	<0.001	<0.001	<0.00242	<0.00114	<0.002	<0.001	0.516	<0.00687	<0.005	<0.001	<0.002	<0.005	<0.020	BDL				
S-1	10/6/2015	15.3		16.1	1570	<0.200	0.147	616	183	22.4	0.105	4.5	2510	293	293	<5.00	7.66	<0.0002	137	0.426	42.6	13	293	<0.002	<0.005	0.066	<0.001	<0.001	<0.00127	<0.00373	<0.001	0.23	<0.00836	<0.005	<0.001	<0.002	<0.005	<0.020	BDL					
S-1	5/25/2016	16.5		1400	0.1	<0.45	330	210	19	0.055	3.7	2000	320	320	<4.0	7.6	<0.0002	160	0.32	43	7.8	190	<0.005	<0.005	0.061	<0.002	<0.002	<0.005	<0.005	0.3	<0.0077	<0.005	<0.005	0.2	0.99	1.8	<0.005	<0.005	<0.010	BDL				
S-1	11/7/2016	9.1		840	0.11	<0.45	150	200	17	0.057	2	1200	140	140	<4.0	7.7	<0.0005	110	0.28	28	6.1	99	<0.03	<0.01	<0.10	<0.004	<0.005	<0.02	<0.005	0.21	<0.05	<0.03												

Table 1.

*=split samples with OEP
**=low quality control check
associated with TDS results; suspect results accordingly
Bold Face=at/above the MCL or SMCL

Rumpke Sanitary Landfill
Surface Water Sampling Results

Standards		Field Temp. °C	Dissolved Oxygen mg/l	TDS mg/l - N	NH3 mg/l - N	NO2 - NO3 mg/l	Cl mg/l	SO4 mg/l	COD mg/l	P mg/L	Turb. NTU	Cond. umhos/cm	Bicarb mg/l	T. Alk. mg/l	Carb mg/l	pH	Hg mg/L	Ca mg/l	Fe mg/l	Mg mg/l	K mg/l	Na mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Cr mg/l	Co mg/l	Cu mg/l	Pb mg/l	Mn mg/l	Ni mg/l	Se mg/l	Ag mg/l	Al mg/l	B mg/l	Sr mg/l	V mg/l	Zn mg/l	VOCs			
MCL				10																																								
SMCL			500		250	250										6.5-8.5		0.3																		5								
Action Level																																												
Stream Sample	Date																																											
S-3	6/7/2010	-		868	0.215	0.486	268	68.8	<50.0	-	35	1400	-	286	-	8.13	-	148	1.81	21.8	3.5	149	<0.0002	<0.002	0.0431	<0.0002	<0.0002	<0.002	0.000857	<0.003	0.00116	0.0508	<0.006	<0.002	<0.001				<0.0002	<0.004	<0.009	BDL		
S-3	10/14/2010			1,590	0.278	0.0243	577	227	187	-	400	2550	339	340	<20.0	7.38	<0.0002	183	1.67	30	26	364	0.00025	0.00383	0.0776	<0.002	<0.003	<0.002	0.0241	<0.006	0.000981	2.56	<0.009	<0.002	<0.001	<0.002	<0.003	<0.016	BDL					
S-3	6/28/2011	18.5		528	0.088	0.304	107	44.7	<50.0	0.253	24	873	243	246	<20.0	8.35	<0.0002	104	1.19	13.6	2.26	62.2	<0.001	<0.01	0.0268	<0.001	<0.01	<0.001	0.00553	<0.001	0.0327	<0.006	<0.01	<0.005										
S-3	10/25/2011	10.2		560	0.053	0.17	112	52.2	<50.0	<0.1	11	875	244	246	<20.0	8.23	<0.0002	106	0.429	13	2.63	71	<0.001	<0.01	0.0241	<0.001	<0.01	<0.001	<0.005	<0.001	0.0107	<0.005	<0.0125	<0.005										
S-3	6/7/2012	13.5		620	0.113	0.237	134	72.8	<50.0	0.172	14	1050	275	278	<10.0	8.14	<0.0002	131	0.735	19.6	2.36	71	<0.001	<0.01	0.0305	<0.001	<0.01	<0.001	<0.005	<0.001	0.0201	<0.006	<0.01	<0.005	<0.001	<0.025	<0.02	BDL						
S-3	10/25/2012	13.2		856	0.115	0.0276	114	46.8	<50.0	0.126	8.9	1380	318	320	<10.0	7.81	<0.0002	143	0.343	21.7	3.22	145	<0.001	<0.01	0.0394	<0.001	<0.01	<0.001	<0.005	<0.001	0.0398	<0.007	<0.01	<0.005	<0.001	<0.025	<0.02	BDL						
S-3	6/12/2013	17.7		724	<0.2	0.384	199	66.6	<10.0	0.245	16.9	1260	313	313	-	8.15	<0.0002	118	1.56	17.8	2.68	101	<0.002	<0.005	0.0405	<0.001	<0.01	<0.002	0.00213	<0.005	<0.001	<0.002	<0.005	<0.0224	<0.01	BDL								
S-3	10/8/2013	11.9		491	<0.200	0.262	108	44.5	17.9	0.23	11.6	937	233	233	-	8.03	<0.0002	95.4	0.715	12.7	2.54	65.3	<0.002	<0.005	0.0271	<0.001	<0.01	<0.002	0.00224	<0.001	<0.0227	<0.002	<0.005	<0.001	<0.002	<0.005	<0.020	BDL						
S-3	5/21/2014	15.1	9.9	805	<0.200	0.416	203	67.7	23.8	0.197	9.31	1220	278	281	<5.00	8.31	<0.0002	135	1.23	18.2	1.98	89.5	<0.002	<0.005	0.0389	<0.001	<0.01	<0.002	0.001	<0.003	<0.002	<0.005	<0.001	<0.002	<0.005	<0.020	BDL							
S-3	10/27/2014	10.9	11.3	1,060	<0.200	<0.0500	297	74.3	<10.0	0.15	6.54	1680	344	344	<5.00	7.97	<0.0002	143	0.336	23.3	2.93	175	<0.002	<0.005	0.0387	<0.001	<0.01	<0.002	0.001	<0.005	<0.001	<0.002	<0.005	<0.020	BDL									
S-3	6/4/2015	16.2	7.5	838	<0.200	0.665	280	71.3	<10.0	0.179	20.2	1530	269	269	<5.00	8.09	<0.0002	147	0.725	23.5	2.74	138	<0.002	<0.005	0.0425	<0.001	<0.01	<0.002	0.00254	<0.001	<0.002	<0.005	<0.001	<0.002	<0.005	<0.020	BDL							
S-3	10/6/2015	14.9	9.4	896	<0.200	0.0879	264	59.5	<10.0	0.192	6.85	1480	387	387	<5.00	7.78	<0.0002	128	0.298	21.1	2.81	138	<0.002	<0.005	0.0345	<0.001	<0.01	<0.002	0.001	<0.005	<0.001	<0.002	<0.005	<0.020	BDL									
S-3	5/25/2016	15.0	12.0	870	<0.02	<0.61	180	72	10	0.17	17	1300	330	330	<4.0	7.9	<0.0002	150	0.63	24	1.8	97	<0.005	<0.005	0.038	<0.002	<0.005	<0.005	0.005	<0.005	<0.005	<0.005	<0.005	<0.010	BDL									
S-3	11/7/2016	9.7		870	0.26	<0.45	220	55	20	0.18	5	1000	390	390	<4.0	7.9	<0.0005	140	0.26	24	2.8	130	<0.03	<0.01	<0.004	0.0005	<0.02	<0.015	<0.015	<0.015	<0.015	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05							
S-3	11/9/2017	6.5		457	<0.200	0.352	84	44.2	12.2	0.158	8.34	796	248	253	<5.00	8.2	<0.00																											

Table 1.

*=split samples with OEP
**=low quality control check
associated with TDS results; suspect results accordingly

Bold Face=at/above the MCL or SMCL

Rumpke Sanitary Landfill
Surface Water Sampling Results

Standards		Field Temp. °C	Dissolved Oxygen mg/l	TDS mg/l	NH3 mg/l - N	NO2 - NO3 mg/l	Cl mg/l	SO4 mg/l	COD mg/l	P mg/L	Turb. NTU	Cond. umhos/cm	Bicarb mg/l	T. Alk. mg/l	Carb mg/l	pH	Hg mg/L	Ca mg/l	Fe mg/l	Mg mg/l	K mg/l	Na mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Cr mg/l	Co mg/l	Cu mg/l	Pb mg/l	Mn mg/l	Ni mg/l	Se mg/l	Ag mg/l	Al mg/l	B mg/l	Sr mg/l	V mg/l	Zn mg/l	VOCs		
MCL				10												0.002																											
SMCL			500		250	250										6.5-8.5		0.3																			5						
Action Level																																											
Stream Sample	Date																																										
S-10	6/7/2010	-		770	0.178	1.09	233	148	<50.0	-	75	1210	-	206	-	8.07	-	118	2.8	23.4	8.38	145	0.00036	<0.002	0.0492	<0.0002	<0.002	0.0014	0.00369	0.0017	0.0678	<0.007	<0.002	<0.0001					<0.0002	<0.004	0.0117	BDL	
S-10	10/14/2010																																										
S-10	6/28/2011	21.5		838	<0.05	0.539	253	232	<50.0	0.112	21	1360	118	118	<20.0	8.13	<0.0002	84	1.5	21.5	10.2	143	<0.001	<0.01	0.0418	<0.001	<0.001	<0.01	0.00138	<0.005	0.00115	0.062	<0.008	<0.01	<0.0005					<0.001	<0.02	<0.024	BDL
S-10	10/25/2011	11.1		554	0.055	0.17	169	62.5	<50.0	0.141	7.9	1050	215	218	<20.0	8.11	<0.002	97	0.301	13.8	2.9	91.3	<0.001	<0.01	0.0322	<0.001	<0.01	<0.005	0.001	<0.003	<0.005	<0.001	<0.02	<0.02	BDL								
S-10	6/7/2012	14.8		644	0.111	0.556	155	85.3	<50.0	0.209	9.3	1080	238	241	<10.0	8.02	<0.002	117	0.367	18.3	3.18	80.6	<0.001	<0.01	0.0385	<0.001	<0.01	<0.005	0.001	<0.0123	<0.006	<0.01	<0.0005					<0.001	<0.025	<0.02	BDL		
S-10	10/25/2012	13.9		1200	0.08	0.0552	379	288	<50.0	0.178	30	1980	179	180	<10.0	7.85	<0.0002	163	1.16	36.5	12.3	219	<0.001	<0.01	0.0633	<0.001	<0.01	<0.0107	<0.005	<0.001	0.0876	<0.011	<0.01	<0.0005					<0.001	<0.025	<0.02	BDL	
S-10	6/12/2013	18.7		776	<0.200	0.449	221	133	13.4	0.224	42	1290	216	-	8.06	<0.002	101	1.68	20.2	6.94	123	<0.002	<0.005	0.0468	<0.001	<0.01	0.0021	0.0103	0.00301	0.00122	0.0861	<0.0035	<0.005	<0.001					<0.002	<0.0268	<0.02	BDL	
S-10	10/8/2013	13.0		517	<0.200	0.498	142	60.8	16	0.25	9.48	893	210	210	-	8.06	<0.002	79.2	0.352	12.4	3.09	94.4	<0.002	<0.005	0.0304	<0.001	<0.001	<0.002	0.003	<0.01	0.0146	<0.002	<0.005	<0.001					<0.002	<0.020	<0.02	BDL	
S-10	5/21/2014	16.2	7.96	886	<0.200	0.339	264	91.5	12	0.188	7.79	1460	284	284	<5.00	8.17	<0.002	133	0.793	19	2.89	143	<0.002	<0.005	0.0546	<0.001	<0.01	<0.002	0.001	<0.0235	<0.002	<0.005	<0.001	<0.020	<0.02	BDL							
S-10	10/27/2014	12.0	9.50	1150	<0.200	<0.0500	468	82.5	<10.0	0.236	8.31	2000	250	250	<5.00	7.93	<0.002	128	0.344	19.5	4.32	238	<0.002	<0.005	0.0505	<0.001	<0.01	<0.002	0.001	<0.0108	<0.002	<0.005	<0.001	<0.020	<0.02	BDL							
S-10	6/4/2015	18.0	7.36	1200	<0.200	0.57	491	95.7	10.5	0.227	17.4	2100	227	-	<5.00	7.92	<0.002	150	1.26	23.9	4.06	227	<0.002	<0.005	0.066	<0.001	<0.01	0.0031	0.001	0.00269	<0.001	0.0923	<0.00225	<0.005	<0.001					<0.002	<0.020	<0.02	BDL
S-10	10/6/2015	17.7	8.76	1050	<0.200	0.223	277	271	<10.0	<0.100	17.2	1590	196	196	<5.00	7.90	<0.002	108	1.1	33.6	10.5	149	<0.002	<0.005	0.0432	<0.001	<0.01	<0.002	0.001	<0.0153	<0.00417	<0.005	<0.001					<0.002	<0.020	<0.02	BDL		
S-10	5/25/2016	16.0	8.60	<0.020	<0.61	170	99	17	0.17	9.4	1300	310	310	<4.0	8	<0.002	130	0.44	23	2.7	120	<0.005	<0.005	0.049	<0.002	<0.002	<0.005	0.005	<0.005	<0.005	0.041	<0.08	<0.005	<0.001	<0.010	<0.02	BDL						
S-10	11/7/2016	12.4	10.20	820	0.22	<0.45	210	77	19	0.25	8.8	1300	320	320	<4.0	7.8	<0.002	120	0.4	21	3.8	130	<0.03	<0.01	<0.004	<0.005	<0.020	<0.004	<0.015	<0.015	<0.05	<0.03	<0.01	<0.27	<0.05	<0.05	<0.05	<0.05	BDL				
S-10	6/1/2017	16.6		685	<0.200	0.496	152	99.9	16.4	0.213	5.13	1130	236	253	17.8	8.2	<0.002	128	0.358	19.4	2.6	88.2	<0.005	<0.005	0.0445	<0.001	<0.001	<0.00365	<0.001	<0.0271	<0.002	<0.005	<0.001	<0.265	<0.020	0.416	<0.01	<0.005	<0.001	<0.020	BDL		
S-10	11/9/2017	6.7		499 </																																							

Table 1.
*=split samples with OEP
**=low quality control check
associated with TDS results; suspect results accordingly
Bold Face=at/above the MCL or SMCL

Rumpke Sanitary Landfill
Surface Water Sampling Results

Standards		Field Temp. °C	Dissolved Oxygen mg/l	TDS mg/l - N	NH3 mg/l - N	NO2 - NO3 mg/l	Cl mg/l	SO4 mg/l	COD mg/l	P mg/L	Turb. NTU	Cond. umhos/cm	Bicarb mg/l	T. Alk. mg/l	Carb mg/l	pH	Hg mg/L	Ca mg/l	Fe mg/l	Mg mg/l	K mg/l	Na mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Cr mg/l	Co mg/l	Cu mg/l	Pb mg/l	Mn mg/l	Ni mg/l	Se mg/l	Ag mg/l	Al mg/l	B mg/l	Sr mg/l	Tl mg/l	V mg/l	Zn mg/l	VOCs	
MCL				10														0.002																									
SMCL			500		250	250											6.5-8.5		0.3																								
Action Level																																											
Stream Sample	Date																																										
S-13	5/17/2022	19.1		1,770	0.308	1.05	945	293	12.4	<0.100	7.7	3470	75.7	75.7	<5.00	8.9	<0.0002	143	0.805	43	14.2	396	<0.002	<0.005	0.0599	<0.001	<0.001	<0.005	<0.001	<0.001	0.64	0.819	4.73	<0.001	<0.005	<0.020	BDL						
S-13	10/25/2022	11.1		4,330	<0.200	<0.0500	2,210	1,070	51.8	0.547	11	8060	308	308	<5.00	7.9	<0.0002	397	0.931	162	45.1	1110	<0.002	<0.005	0.2	<0.001	<0.001	<0.005	0.0302	<0.002	<0.001	4.37	0.01	<0.005	<0.001	0.128	5.18	13	<0.001	<0.005	<0.020	BDL	
S-13	6/6/2023		3,180	<0.200	<0.0500	1,280	729	18.4	<0.100	1.7	5570	223	223	<5.00	8.01	<0.0002	328	0.132	109	19.1	634	<0.002	<0.005	0.131	<0.001	<0.001	<0.005	0.0302	<0.002	<0.001	0.29	0.0059	<0.005	<0.001	<0.050	2.56	6.36	<0.001	<0.005	<0.020	BDL		
S-13	11/16/2023	7.2		1,740	0.212	0.463	753	494	13.2	<0.100	3.4	3250	180	180	<5.00	7.88	<0.0002	211	0.264	65.7	17.3	382	<0.002	<0.005	0.06	<0.001	<0.001	<0.005	0.0202	<0.002	<0.001	0.389	0.0037	<0.005	<0.001	0.0821	1.69	4.54	<0.001	<0.005	<0.020	BDL	
S-13	6/27/2024	21.6		2,960	<0.200	0.318	1,440	518	23	0.127	6.9	5490	139	139	<5.00	7.82	<0.0002	259	0.291	82.2	22.2	651	<0.002	<0.005	0.113	<0.001	<0.001	<0.005	0.0201	<0.002	<0.001	0.283	0.00375	<0.005	<0.001	0.218	2.09	7.06	<0.001	<0.005	<0.020	BDL	
S-13	10/24/2024	13.8		2,540	<0.200	0.815	1,470	585	23.8	<0.100	2.9	5390	133	133	<5.00	7.93	<0.0002	258	0.115	82.2	24.9	648	<0.002	<0.005	0.0853	<0.001	<0.001	<0.005	0.0232	<0.005	<0.001	0.0879	0.00229	<0.005	<0.001	0.64	0.819	4.73	<0.001	<0.005	<0.020	BDL	
NW Pond	5/21/2014	20.6	9.18	492	<0.200	0.133	57.3	214	15.1	<0.100	8.9	714	52.3	52.3	<5.00	8.17	<0.0002	83.2	0.571	14.2	4.25	36.3	<0.002	<0.005	0.0204	<0.001	<0.001	<0.002	0.00252	<0.001	<0.001	0.0488	<0.002	<0.005	<0.001	<0.002	<0.005	<0.020	#etone - 11.0 ug				
NW Pond	6/1/2017		346	<0.200	<0.05	23.7	146	14.5	<0.100	13	508	65.5	67.5	<5.00	8.8	<0.0002	66.9	0.464	12.8	2.82	19.3	<0.002	<0.005	0.0197	<0.001	<0.001	<0.002	0.00448	<0.001	<0.001	0.0619	0.00203	<0.005	<0.001	0.297	<0.2	0.424	<0.001	<0.005	<0.020	BDL		
NW Pond	11/9/2017		320	<0.200	0.202	20.2	138	37.5	0.15	60.8	485	73.9	73.9	<5.00	8	<0.0002	58.2	2.06	11.2	4.12	14.7	<0.002	<0.005	0.0243	<0.001	<0.001	<0.002	0.00292	<0.001	<0.001	0.0488	0.00279	<0.005	<0.001	2.53	<0.2	0.36	<0.001	<0.005	<0.020	#etone: 10.4 ug		
NW Pond	6/4/2018		380	<0.200	0.604	52.4	160	19.7	<0.100	14.9	601	49.2	49.2	<5.00	8.4	<0.0002	65.5	0.498	11.1	4.17	33	<0.002	<0.005	0.018	<0.001	<0.001	<0.002	0.00327	<0.001	<0.001	0.023	0.00278	<0.005	<0.001	0.713	0.199	0.435	<0.001	<0.005	<0.020	petone: 13.4 ug		
NW Pond	10/30/2018		438	<0.200	<0.05	63.6	153	13.3	<0.100	15	709	90.4	90.4	<5.00	8.2	<0.0002	76.5	0.541	16.2	4.61	44.4	<0.002	<0.005	0.0217	<0.001	<0.001	<0.002	0.0021	<0.001	<0.001	0.153	0.00352	<0.005	<0.001	0.641	0.589	<0.001	<0.005	<0.020	BDL			
NW Pond	5/22/2019		408	<0.200	<0.05	40.4	132	18.9	0.158	28.2	619	109	109	<5.00	7.9	<0.0002	74.3	2.11	14.5	4.13	27.8	<0.002	<0.005	0.0325	<0.001	<0.001	<0.002	0.0024	<0.001	<0.001	0.0262	0.00448	<0.005	<0.001	2.34	0.174	0.471	<0.001	<0.005	<0.020	BDL		
NW Pond	11/6/2019		294	<0.200	<0.05	30.2	136	10.6	<0.100	14.9	510	56.4	56.4	<5.00	8.1	<0.0002	52.9	0.504	10.3	2.76	18.1	<0.002																					

**Table 3. BIOLOGICAL STREAM SAMPLING
RUMPKE SANITARY LANDFILL (Location S-1)**

**Table 3. BIOLOGICAL STREAM SAMPLING
RUMPKE SANITARY LANDFILL (Location S-2)**

**Table 3. BIOLOGICAL STREAM SAMPLING
RUMPKE SANITARY LANDFILL (Location S-3)**

**Table 3. BIOLOGICAL STREAM SAMPLING
RUMPKE SANITARY LANDFILL (Location S-9)**

**Table 3. BIOLOGICAL STREAM SAMPLING
RUMPKE SANITARY LANDFILL (Location S-10)**

	GROUP 1 (Higher Quality)			GROUP 2 (Moderate Quality)			GROUP 3 (Lower Quality)			Non-indicative	
	Bass	Micropterus	Notropis	Etheostoma	Gastropoda	Coleoptera	Plecoptera	Trichoptera	Chelydرا	Amphibia	
Location S-10											
6/7/2010											
10/14/2010	Not Sampled										
# 10/14/10	Not Sampled										
6/28/2011					50+						
10/25/2011	1				20						
6/7/2012	2		1	5							
10/25/2012			1								
6/12/2013	10			1	15						
10/8/2013											
5/21/2014	5*		*	2*							
10/27/2014			*								
6/3/2015	2				>100						
10/6/2015											
5/25/2016											
11/7/2016				10							
6/1/2017	1			2	2						
9/9/2017	2			8							
6/4/2018	1			3	50						
10/30/2018	2			20							
5/22/2019				2	4	6					
11/6/2019				18		1					
5/27/2020				14	1	1	3				
10/27/2020				38							
5/26/2021	1			12							
10/21/2021				19							
5/17/2022				6	65						
10/25/2022	1			3	10						
6/6/2023					5						
11/16/2023				4	18						
6/27/2024				9	4						
10/24/2024				4	23						

**Table 3. BIOLOGICAL STREAM SAMPLING
RUMPKE SANITARY LANDFILL (Location S-11)**

**Table 3. BIOLOGICAL STREAM SAMPLING
RUMPKE SANITARY LANDFILL (Location S-12)**

**Table 3. BIOLOGICAL STREAM SAMPLING
BOND ROAD LANDFILL (Location 1)**

Location	Date	GROUP 1 (Higher Quality)			GROUP 2 (Moderate Quality)			GROUP 3 (Lower Quality)			Non-indicative		
		Bass	Micropterus	Notropis	Etheostoma	Amphibia	Gastropoda	Coleoptera	Plecoptera	Diptera	Turbellaria	Nematoda	Gastropoda
Location 1	5/26/2010	*											
	10/13/2010												
	6/15/2011												
	10/18/2011				10	1							
	6/19/2012												
	10/24/2012												
	8/8/2013												
	11/21/2013	Not sampled; pond drained to repair valve											
	5/28/2014	1*	3*										
	10/28/2014	10											
	6/3/2015						20+						
	10/6/2015						>100						
	6/28/2016						>100						
	12/7/2016						100+						
	6/30/2017						10	5					
	12/20/2017						50+						
	6/28/2018	1											
	12/12/2018												
	6/28/2019	*											
	11/14/2019	Unable to sample; water level too low.											
	6/16/2020	5											
	11/19/2020												
	6/4/2021												
	11/18/2021				2	15							
	6/6/2022												
	10/24/2022												
	6/14/2023												
	11/29/2023												
	7/2/2024												
	11/18/2024				1	13							

* - Observed while sampling

**Table 3. BIOLOGICAL STREAM SAMPLING
BOND ROAD LANDFILL (Location 2)**

		GROUP 1 (Higher Quality)		GROUP 2 (Moderate Quality)		GROUP 3 (Lower Quality)		Non-indicative	
Location 2		Bass	Micropterus						
		Shiner	Notropis						
		Darter	Etheostoma						
		Plethodontinae (Salamander)	Amphibia						
		Lymnea (Snail)	Gastropoda						
		Planorbidae (Snail)	Gastropoda						
		Dytiscidae (Crawling Water Beetle)	Coleoptera						
		Hydrophilidae (Beetle Larva)	Coleoptera						
		Psopheniidae (Water Penny)	Coleoptera						
		Elmidae (Adult Riffle)	Coleoptera						
		Caddis Fly	Trichoptera						
		Mayfly	Ephemeroptera						
		Stonefly Nymph	Plecoptera						
		Stonefly Adult	Plecoptera						
		Snapping Turtle	Chelydra						
		Gizzard Shad	Dorosoma						
		Minnow	Pimephales						
		Ranidae (Frogs)	Amphibia						
		Tadpoles	Amphibia						
		Fingernail Clam	Pelecypoda						
		Other Clams	Pelecypoda						
		Crane Fly Pupae	Diptera						
		Crane Fly Adult	Diptera						
		Polychopteridae (Phantom Crane Fly)	Diptera						
		Sialidae (Alderfly)	Hemiptera						
		Dragonfly Nymph	Odonata						
		Dragonfly Adult	Odonata						
		Damselfly Nymph	Odonata						
		Damselfly Adult	Odonata						
		Sow Bug	Isopoda						
		Scud	Amphipoda						
		Crayfish	Decapoda						
		Flat Worm	Turbellaria						
		Round Worm	Nematoda						
		Oligochaeta (Aquatic Worm)	Annelida						
		Hirudinea (Leech)	Annelida						
		Physa (Pouch Snail)	Gastropoda						
		Simuliidae (Blackfly)	Diptera						
		Tendipedidae Tendipes (Midge)	Diptera						
		Tendipedidae Psychoda (Northfly)	Diptera						
		Culex (Mosquito Lava)	Diptera						
		Culex (Mosquito)	Diptera						
		Tabanidae (Horsefly Larva)	Diptera						
		Tabanidae (Horsefly)	Diptera						
		Tubifera (Rat-Tailed Maggot)	Diptera						
		Genidae (Water Strider)	Hemiptera						
		Notonectidae (Back Swimmer)	Hemiptera						
		Corixidae (Water Boatman)	Hemiptera						
		Belostomatidae (Giant Water Bug)	Hemiptera						

* - Observed while sampling

- Sampled with Hester Dendy

^ - All Dead

