

BIANNUAL SURFACE WATER AND BIOLOGICAL STREAM SAMPLING AROUND RUMPKE AND BOND ROAD LANDFILLS

October 2022



PREVENT. PROMOTE. PROTECT.

For more information, please contact:

Hamilton County Public Health
Department of Environmental Health Services
250 William Howard Taft, 2nd Floor
Cincinnati, Ohio 45219
(513) 946-7800
www.hamiltoncountyhealth.org

Introduction

Hamilton County Public Health conducted biannual sampling of the surface water streams around the Rumpke Colerain Sanitary Landfill on May 26 and October 22, 2021. Additionally, biannual sampling of Bond Road Sanitary Landfill was conducted on June 4 and November 18, 2021.

Sampling Locations

Rumpke Colerain Sanitary Landfill, located in Colerain Township, Hamilton County, Ohio, is situated at the northeast intersection of US-27 and Struble Road. The landfill is bordered by Struble Road to the south, US-27 to the west, Bank Road to the northwest and Hughes Road to the east/northeast.

Two sedimentation ponds are located on the site, identified as the NW Pond and SE Pond. The sedimentation ponds collect rainwater run-off from the landfill and settle out the suspended solids/silt prior to discharging into the adjacent streams and creeks.

Generally, two watersheds surround the landfill: the western watershed and the eastern watershed. The NW Pond discharges into the western watershed, while the SE Pond discharges into the eastern watershed. The sampling locations around the landfill consists of the two sedimentation pond outfalls, and their respective upstream and downstream locations (Figure 1).

Western Watershed Sampling Locations:

NW Pond

The discharge/outfall location for the sedimentation pond located on the west/northwest portion of the landfill. The pond discharges into the western watershed surrounding the landfill where Banklick creek borders the landfill and flows north/northeasterly along Bank Road.

- S-1 The furthest downstream location from the NW Pond outfall at the northern end of the landfill in Banklick creek along Bank Road. This is generally a creek with a series of riffles and pools. The bottom is silty in the pool areas and rocky in the riffle areas.
- S-2 Located downstream from the NW Pond outfall and at the western edge of the landfill, upstream from S-1, in Banklick creek along Bank Road. The sampling location is west of the overpass below the culvert in a small, shallow pool. The bottom is silty in the pool areas and rocky to solid bedrock in the shallow riffle areas.
- S-3 Located upstream, above the NW pond outfall, in an unnamed stream west of Banklick creek. The sampling location is a series of very small, shallow pools and riffles. The bottom is solid rock to rocky with some silt.

- S-11 Located upstream, above the NW pond discharge, in a stream west/southwest of the landfill, across US-27. The stream consists of very small shallow pools. The sampling location was added in 2014 as an additional upstream location.

Eastern Watershed Sampling Locations:

SE Pond

The discharge/outfall location for the sedimentation pond located on the southeast portion of the landfill. The pond discharges into the eastern watershed surrounding the landfill in an unnamed stream east of the landfill, across Hughes Road.

- S-9 Located upstream, above the SE Pond outfall, and east of the landfill in an unnamed stream east of Hughes Road and west of Buell Road. The sample location consists of a series of very small, shallow pools with a rocky bottom. The sample location was added in 2008 due to the southern expansion of the landfill.

- S-10 Located downstream from the SE Pond outfall, in an unnamed stream east of the landfill. The sample location consists of a series of small, shallow pools with a rocky bottom. The sample location was added in 2008 due to the southern expansion of the landfill.

- S-12 The furthest downstream location from the SE Pond outfall, located at the northern end of the landfill, in an unnamed stream that flows along Buell Road to Crest Road and eventually into Banklick Creek. The sample location was added in 2019 due to the eastern expansion of the landfill and consists of ponding pools and rocky bottom.

Bond Road Sanitary Landfill, located in Whitewater Township, is situated in western Hamilton County, Ohio. The landfill borders Indiana to the west and Bond Road to the north. In 2021, Rumpke purchased 466 acres of land south of the existing landfill for purposes of future development and improvements to the site. Sampling locations around the Bond Road Sanitary Landfill consists of the following two sites (Figure 2):

- B-1 Located at the east end of the sedimentation pond which discharges to a tributary to Fox Run.
- B-2 Located on the south end of the landfill near the leachate sums. Most water is generated from storm swales from the landfill and is typically dry. This area channels down to an unnamed tributary to Fox Run, which exits the property near the sampling location.

Methods

Surface water sampling was conducted in the Spring and Fall by obtaining grab samples in streams around each of the landfills where possible. Generally, Spring sampling is more

influenced by precipitation and Fall sampling is more influenced by groundwater. Efforts are made to collect the samples during low flow times where groundwater contributions are considered to be greater. This monitoring was performed to serve as an indicator of water quality above and below each landfill.

Samples were collected in polyethylene wide-mouth jars ranging in size from 250 mL to 500 mL and two set of hypovials for sampling volatile organic compounds. Depending on the sampling parameter, samples were either unpreserved or preserved with hydrochloric acid, sulfuric acid, nitric acid, or sodium hydroxide (as required). All samples were placed in a cooler on ice. Samples were analyzed by TestAmerica Laboratories. Chain-of-custody protocols were followed. Water temperature was recorded using a Taylor thermometer near the sampling location.

Biological water samples were collected at each of the sampling locations. Biological samples were collected using an aquatic kick net with 1000-micron mesh. A kick technique was used to loosen organisms from riffle areas of the streams and then the area was swept with the net. Hand picking of organisms off the rock surfaces was also employed at the sample locations. Biological samples in need of further observation for identification were placed in appropriately labeled 4 oz. Nalgene wide-mouth jars and preserved in 70% isopropyl alcohol and later identified with the aid of a magnifying glass and a Swift instrument variable magnification (1X-4X) binocular microscope.

Results and Discussion

Water Quality Monitoring

Rumpke Sanitary Landfill

The surface water sampling results from the 2021 sample events are presented in Table 1, which include sampling results dating back to 2010.

Western watershed:

The western watershed surrounding the landfill consists of upstream sample locations S-3 and S-11, the NW Pond outfall, and downstream sample locations S-1 and S-2. During both 2021 sampling events, the NW Pond outfall was flowing and sampled.

Sampling results comparing the NW Pond outfall with upstream sample locations (S-3 & S-11) and downstream sample locations (S-1 & S-2) are illustrated on Figures 3 & 4 and narrated below:

- Chloride was not detected above the secondary maximum contaminant level (SMCL) of 250 mg/l in upstream sample locations, S-11 and S-3, during either 2021 sampling event. Nor was chloride detected above the SCML from the samples collected from the NW Pond outfall in 2021. However, chloride was detected above the SCML in downstream sample location S-2 in May and in both downstream samples, S-1 & S-2, during the October 2021 sampling event.

- Sulfate was detected above the SMCL of 250 mg/l in upstream sample S-11 (276 mg/L) during the May sampling event, but not detected above the SMCL during the October sampling event. Sulfate was not detected above the SCML in the NW Pond outfall samples and upstream sample S-3 during 2021. And similarly to chloride, sulfate was detected above the SCML in downstream sample location S-2 in May and in both downstream samples, S-1 & S-2, during the October 2021 sampling event.
- With the exception of the NW Pond outfall sample collected in May, all sample locations were above the SMCL of 500 mg/L for total dissolved solids (TDS) during both 2021 sampling events.
- Iron was detected above the SMCL of 0.3 mg/l in the NW Pond outfall sample location and in upstream sample location S-3 during both 2021 sampling events. Additionally, iron was detected above the SCML for iron in upstream sample location S-11 and downstream sample location S-1 during the May sampling event. Downstream sample location S-2 was below the SMCL for iron during both 2021 sampling events.
- Manganese was detected above the SMCL of 0.05 mg/l in upstream sample location S-11 in May and during both 2021 samples collected from the NW Pond outfall. Manganese was detected above the SCML in downstream sample S-1 during both 2021 sampling events. Downstream sample location S-2 was below the SMCL for manganese during both 2021 sampling events.
- Thalium was detected above the MCL of 0.002 mg/l in upstream sample location S-11 during the May 2021 sampling event. No other parameters were above the MCL/SMCL/Action Level.
- Ammonia was not detected (<0.2 mg/L) in either of the upstream or downstream sample locations during the 2021 sampling events. Ammonia was slightly detected over the laboratory limits at 0.227 mg/L from the NW Pond outfall during the May sampling event. Less than 1.0 mg/L ammonia is considered usual for natural waters.
- Comparing sampling analytical results with years' past, concentrations of TDS, chloride and sulfate at downstream samples S-1 and S-2 were slightly elevated during both 2021 sampling events, but not elevated in the two upstream sample locations, or the sample collected from the NW Pond.

In determining a potential source of the elevated concentrations, Hamilton County Public Health surveyed areas upstream from S-2 to an existing headwall where the stream continues along the western landfill through an underground culvert. At the base of the headwall, a seep was identified coming from the weep holes installed to keep moisture from accumulating behind it. The seep was clear, but areas of discoloration were noted on the headwall where it had been continuously flowing; the seep also smelled of sulphur.

The headwall seep was sampled on December 12, 2021, and the results identified similarly increased concentrations of TDS (4,140 mg/L), chloride (1,690 mg/L) and sulfate (469 mg/L) compared to S-1 and S-2, and an ammonia concentration of 3.56 mg/L.

Hamilton County Public Health is currently in communication with the Ohio EPA and Rumpke to further evaluate the headwall seep and determine its origin, whether it be groundwater, surface water or possibly landfill derived. The Ohio EPA, Hamilton County Public Health, and third-party consultants have determined that the headwall seep is not an imminent threat to public health or the environment as further sampling and investigation continues.

Eastern watershed:

The eastern watershed surrounding the landfill consists of upstream sample location S-9, the SE Pond discharge point, and downstream sample locations S-10 and S-12. During both 2021 sampling events, the SE Pond outfall was not flowing. Therefore, the SE Pond outfall was not sampled in 2021. Sampling results comparing the upstream sample location (S-9) and downstream sample locations (S-10 & S-12) are illustrated on Figures 5 & 6 and narrated below:

- Chloride was detected above the secondary maximum contaminant level (SMCL) of 250 mg/l in upstream sample location, S-9, and in downstream sample locations S-10 and S-12 during the May sampling event. In October, chloride was only detected above the SMCL in downstream sample location, S-10.
- Sulfate was detected above the SMCL of 250 mg/l in downstream sample location S-10 during both 2021 sampling events.
- All sample locations were above the SMCL of 500 mg/L for total dissolved solids (TDS) during both 2021 sampling events.
- With the exception of the downstream sample collected from S-10 in October, iron was detected above the SMCL of 0.3 mg/l in all sample locations during both 2021 sampling events.
- Manganese was detected above the SMCL of 0.05 mg/l in all sample locations during both 2021 sampling events.
- No other parameters were above the MCL/SMCL/Action Level.
- Ammonia was not detected (<0.2 mg/L) in either 2021 sampling events.
- All results were within historical values.

Bond Road Landfill

Surface water sampling at the Bond Road Landfill was conducted at the B-1 location for both sample periods (Table 2). Iron was detected above the SMCL of 0.30 mg/L during the June sampling event and manganese was detected above the SMCL of 0.05 mg/L during both 2021 sampling events. No other parameters were above the MCL/SMCL/Action Level. Additionally, ammonia was not detected (<0.2 mg/L) in the June 2021 sampling event, while it was detected slightly over the laboratory reporting limits at 0.216 mg/L in November. All results were within historical values.

The B-2 location continues to have no flow. Therefore, a sample was not collected.

The water quality continues to appear acceptable in the sedimentation pond on site. This is reflected in the biological monitoring as well (see below).

Biological Monitoring

Biological organisms can provide an indication of water quality based on their typical habitat requirements. For example, organisms such as isopods (sowbugs) inhabit relatively unpolluted shallows. Amphipods (sideswimmers), plecopterans (stoneflies), ephemeropterans (mayflies), some odonatans (dragonflies and damselflies), trichopterans (caddisflies), and turbellarians (flatworms) need an abundance of dissolved oxygen (DO) to survive and are indicative of good stream quality. Hemipterans (water boatman bugs) and some gastropods (pouch snails) are semi-tolerant to low DO. Dipterans (flies, mosquitos, and midges) are able to live in low DO environments and are much more tolerant of pollution. Some of these organisms can live in only low current streams; in unpolluted clear waters; occur in debris (masses of leaves and algae); occur under stones; occur in vegetation; occur in mud; found in decaying vegetation; or occur only in ponds. These ecological characteristics can provide an indication of a clean versus a polluted environment. Some organisms have specific physical features such as respiratory tubes (Dipteran larva), which enable those organisms to survive in low DO environments or in highly polluted waters.

Table 3 presents the results of biological monitoring around each licensed landfill over both sampling periods. Data is also presented from the 2010 through 2021 monitoring events for comparison.

Rumpke Sanitary Landfill

The Rumpke landfill streams were biologically monitored two times in 2021. In May, the day was mostly cloudy with a temperature around 76° F. In October, the day was cloudy with a temperature around 50° F.

During both 2021 sampling events, the NW Pond outfall was open and discharging into the western watershed of Banklick creek. The stream flow in upstream sample locations of S-3 and S-11 was low with shallow pools of water in the unnamed streams. And

downstream sample locations, S-1 and S-2, along Banklick creek was faster with larger pools of water.

- Caddisflies, water pennies, a salamander and sow bugs were among the organisms observed in May at upstream sample location S-3. Salamanders, water pennies, and sowbugs were also observed in October.
- Sample location S-11 was added as a sampling station in 2014 as an upstream sample from the landfill. Stream flow at this location was low with very shallow pools of water. Six types of organisms were observed in May, including salamanders and sowbugs. Six types of organisms were also observed in October, including caddisflies, a water penny and sowbugs.
- Seven types of organisms were identified in May at downstream sample location S-1, while six types of organisms were identified in October. Water pennies, riffle beetle, caddisflies and sowbugs were observed in May, while water pennies, caddisflies, damselflies and sowbugs were observed in October.
- Downstream sample location S-2 recorded five organism types in May, including a water penny, caddisflies, damselflies and sowbugs. In October, nine types of organisms were identified, including water pennies, caddisflies, damselflies, and sowbugs.

During both 2021 sampling events, the SE Pond outfall was closed. The stream flow in upstream sample locations S-9 was very slow with ponding pools, while downstream sample locations, S-10 and S-12, was slow with larger pools of water.

- Five types of organisms were identified during the May and October sampling events at upstream sample location S-9. Salamanders, water pennies, and sowbugs were observed during both sampling events.
- Six types of organisms were observed in May at downstream sample location S-10, including a salamander, water pennies, and greater than 100 sowbugs. Five types of organisms were observed in October, including water pennies, damselfly and sowbugs.
- Downstream sample location S-12 was added as a sampling station in 2019 due to the landfill's eastern expansion. The stream is located downstream from where the eastern expansion of the landfill will exist. Water pennies, caddisflies, and sowbugs were observed during both sampling events.

Bond Road Landfill

The Bond Road landfill sedimentation pond, identified as sample location B-1 was biologically monitored two times in 2020. In June, the day was partly cloudy with a temperature around 59° F. In November, the day was cloudy with a temperature around 41° F. Samples are typically taken at the southeast corner of the sedimentation pond and

in the dissipater box below the pond. Sowbugs were observed in June, while water pennies and caddisflies were observed in November.

A B-2 sample could not be collected during either 2021 sample period because the water was not flowing enough to take a sample.

Conclusions

The results of the water quality and biological monitoring conducted in 2021 at Rumpke Sanitary Landfill and Bond Road Landfill are consistent with past sampling periods. The continued presence of certain key organisms in the downstream sample locations indicate an unpolluted environment, although stream conditions and seasons seem to primarily affect the number and types of organisms sampled.

Hamilton County Public Health, Ohio EPA and third-party consultants have determined that the identified seep along the headwall is not an imminent threat to public health or the environment.



Figure 1
Rumpke Sanitary Landfill



Sampling Locations



Figure 2
Bond Road Landfill




Sampling Locations



Figure 3

Comparison of Western Watershed Sampling Locations

May 26, 2021



Red indicates above the MCL/SMCL/Action Level

Upstream Sample Locations

<u>S-11</u>
Chloride: 226 mg/L
Sulfate: 276 mg/L
TDS: 1,130 mg/L
Iron: 2.2 mg/L
Manganese: 0.124 mg/L
Ammonia: Non-detect

<u>S-3</u>
Chloride: 196 mg/L
Sulfate: 83.9 mg/L
TDS: 710 mg/L
Iron: 0.941 mg/L
Manganese: 0.0431 mg/L
Ammonia: Non-detect

Outfall Location

<u>NW Pond</u>
Chloride: 85.4 mg/L
Sulfate: 180 mg/L
TDS: 442 mg/L
Iron: 0.777 mg/L
Manganese: 0.078 mg/L
Ammonia: Non-detect

Downstream Sample Locations

<u>S-2</u>
Chloride: 823 mg/L
Sulfate: 452 mg/L
TDS: 1,510 mg/L
Iron: 0.298 mg/L
Manganese: 0.0299 mg/L
Ammonia: Non-detect

<u>S-1</u>
Chloride: 232 mg/L
Sulfate: 235 mg/L
TDS: 811 mg/L
Iron: 0.655 mg/L
Manganese: 0.288 mg/L
Ammonia: Non-detect



Figure 4

Comparison of Western Watershed Sampling Locations
October 22, 2021



→ Surface water flow direction
Red indicates above the MCL/SMCL/Action Level

Upstream Sample Locations

S-11
Chloride: 212 mg/L
Sulfate: 193 mg/L
TDS: 881 mg/L
Iron: <0.10 mg/L
Manganese: <0.010 mg/L
Ammonia: Non-detect

S-3
Chloride: 198 mg/L
Sulfate: 48.6 mg/L
TDS: 686 mg/L
Iron: 0.308 mg/L
Manganese: 0.0471 mg/L
Ammonia: Non-detect

Outfall Location

NW Pond
Chloride: 145 mg/L
Sulfate: 193 mg/L
TDS: 542 mg/L
Iron: 0.596 mg/L
Manganese: 0.0845 mg/L
Ammonia: Non-detect

Downstream Sample Locations

S-2
Chloride: 1,020 mg/L
Sulfate: 582 mg/L
TDS: 2,650 mg/L
Iron: 0.118 mg/L
Manganese: 0.0271 mg/L
Ammonia: Non-detect

S-1
Chloride: 694 mg/L
Sulfate: 434 mg/L
TDS: 1,830 mg/L
Iron: 0.28 mg/L
Manganese: 0.20 mg/L
Ammonia: Non-detect



Figure 5

Comparison of Eastern Watershed Sampling Locations
May 26, 2021



→ Surface water flow direction
Red indicates above the MCL/SMCL/Action Level

Upstream Sample Locations

S-9
Chloride: 294 mg/L
Sulfate: 120 mg/L
TDS: 846 mg/L
Iron: 3.94 mg/L
Manganese: 0.146 mg/L
Ammonia: Non-detect

Outfall Location

SE Pond
Not flowing at time of sampling; No sample.

Downstream Sample Locations

S-10
Chloride: 647 mg/L
Sulfate: 274 mg/L
TDS: 1,480 mg/L
Iron: 1.61 mg/L
Manganese: 0.103 mg/L
Ammonia: Non-detect

S-12
Chloride: 329 mg/L
Sulfate: 155 mg/L
TDS: 858 mg/L
Iron: 1.21 mg/L
Manganese: 0.114 mg/L
Ammonia: Non-detect



Figure 6
Comparison of Eastern Watershed Sampling Locations
October 22, 2021



➡ Surface water flow direction
Red indicates above the MCL/SMCL/Action Level

Upstream Sample Locations

S-9
Chloride: 212 mg/L
Sulfate: 57.5 mg/L
TDS: 646 mg/L
Iron: 1.1 mg/L
Manganese: 0.0741 mg/L
Ammonia: Non-detect

Outfall Location

SE Pond
Not flowing at time of sampling; No sample.

Downstream Sample Locations

<u>S-10</u> Chloride: 483 mg/L Sulfate: 279 mg/L TDS: 1,270 mg/L Iron: 0.288 mg/L Manganese: 0.116 mg/L Ammonia: Non-detect	<u>S-12</u> Chloride: 137 mg/L Sulfate: 98.6 mg/L TDS: 543 mg/L Iron: 0.314 mg/L Manganese: 0.0657 mg/L Ammonia: Non-detect
---	---

Table 1.

*=split samples with OPEPA
**=low quality control check
associated with TDS results; suspect results accordingly
Bold Face=at/above the MCL or SMCL

Rumpke Sanitary Landfill
Surface Water Sampling Results

Standards		Field Temp. °C	Dissolved Oxygen mg/l	TDS mg/l	NH3 mg/l	NO2 - NO3 mg/l - N	Cl mg/l	SO4 mg/l	COD mg/l	P mg/L	Turb. NTU	Cond. umhos/cm	Bicarb mg/l	T. Alk. mg/l	Carb mg/l	pH	Hg mg/L	Ca mg/l	Fe mg/l	Mg mg/l	K mg/l	Na mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Cr mg/l	Co mg/l	Cu mg/l	Pb mg/l	Mn mg/l	Ni mg/l	Se mg/l	Ag mg/l	Al mg/l	B mg/l	Sr mg/l	Tl mg/l	V mg/l	Zn mg/l	VOCs						
MCL						10												0.002		0.006	0.01	2	0.004	0.005	0.1														0.002									
SMCL				500					250	250								6.5-8.5		0.3																					5							
Action Level																																																
Stream Sample	Date																																															
S-1	6/7/2010	-		1170	0.54	1.24	387	230	<50.0	-	6.6	1980	-	256	-	7.71	-	162	1.17	39.2	9.66	218	0.00034	<0.002	0.0605	<0.0002	<0.002	0.000906	<0.003	0.000472	0.354	<0.007	<0.004	<0.0001									<0.0002	<0.004	<0.014	BDL		
S-1	10/14/2010	-		1340	0.063	0.0387	451	299	140	-	43	2140	233	238	<20.0	8.07	<0.0002	122	0.597	24.4	6.16	127	<0.001	<0.01	0.0458	<0.001	<0.01	<0.001	0.163	<0.009	<0.01	<0.005											<0.001	<0.02	<0.02	BDL		
S-1	6/28/2011	19.9		881	0.136	0.399	228	197	<50.0	<0.1	12	1410	219	220	<20.0	8.07	<0.0002	122	0.597	24.4	6.16	127	<0.001	<0.01	0.0458	<0.001	<0.01	<0.001	0.163	<0.009	<0.01	<0.005												<0.001	<0.02	<0.02	BDL	
S-1	10/25/2011	8.8		907	0.282	0.339	212	242	<50.0	<0.1	11	1420	197	198	<20.0	7.94	<0.0002	143	0.624	29.1	6.89	131	<0.001	<0.01	0.041	<0.001	<0.01	<0.005	0.267	<0.0075	<0.01	<0.005												<0.001	<0.02	<0.02	BDL	
S-1	6/7/2012	15.3		1160	0.221	1.24	327	230	<50.0	<0.100	12	1860	264	268	<10.0	7.88	<0.0002	157	0.506	40.2	8.56	179	<0.001	<0.01	0.0625	<0.001	<0.01	<0.005	0.302	<0.01	<0.01	<0.005												<0.001	<0.025	<0.02	BDL	
S-1	10/25/2012	12.5		1800	0.222	0.0205	597	325	<50.0	0.131	7.1	2820	289	290	<10.0	7.68	<0.0002	212	0.535	56.7	14.2	329	<0.001	<0.01	0.090	<0.001	<0.01	0.0278	<0.005	<0.001	0.93	<0.019	<0.01	<0.005											<0.001	<0.026	<0.02	BDL
S-1	6/12/2013	20		974	<0.2	0.555	283	186	<10.0	<0.1	6.74	1650	281	-	8.06	<0.0002	148	0.511	32.9	7.63	167	<0.002	<0.005	65.1	<0.001	<0.001	<0.002	0.265	0.00316	<0.005	<0.001											<0.002	<0.005	<0.020	BDL			
S-1	10/8/2013	14.5		489	0.345	0.318	96.5	180	10.3	0.117	29.7	794	96.8	-	7.89	<0.0002	81	1.28	15.9	5.95	57.4	<0.002	<0.005	<0.0355	<0.001	<0.001	0.0298	<0.001	0.0649	0.00304	<0.005	<0.001											<0.002	<0.005	<0.020	BDL		
S-1	5/21/2014	19.4	9.39	526	<0.200	0.176	80.1	212	28	<10.0	6.06	796	76.4	76.4	<5.00	8	<0.0002	87.5	0.764	15	4.21	44.1	<0.002	<0.005	0.0278	<0.001	0.067	0.0211	<0.005	<0.001											<0.002	<0.005	<0.020	BDL				
S-1	10/27/2014	9.6	10.06	1760	<0.200	0.56	721	222	22.2	0.151	8.5	3040	334	334	<5.00	7.86	<0.0002	189	0.684	53.1	12.3	352	<0.002	<0.005	0.086	<0.001	<0.001	<0.002	0.495	0.00666	<0.005	<0.001											<0.002	<0.005	<0.020	BDL		
S-1	6/4/2015	16.8	8.5	1360	<0.200	0.0879	513	230	23	<10.0	4.63	2430	240	240	<5.00	7.95	<0.0002	172	0.391	45.2	10.8	279	<0.002	<0.005	0.076	<0.001	<0.001	0.0242	0.00114	<0.002	<0.001	0.516	0.00687	<0.005	<0.001										<0.002	<0.005	<0.020	BDL
S-1	10/6/2015	15.3	16.1	1570	<0.200	0.147	616	183	22.4	0.105	4.5	2510	293	293	<5.00	7.66	<0.0002	137	0.426	42.6	13	293	<0.002	<0.005	0.066	<0.001	<0.001	0.002	0.00127	0.00373	<0.001	0.23	0.00836	<0.005	<0.001										<0.002	<0.005	<0.020	BDL
S-1	5/25/2016	16.5	14.1	1400	0.1	<0.45	330	210	19	0.055	3.7	2000	320	320	<4.0	7.6	<0.0002	160	0.32	43	7.8	190	<0.005	<0.005	0.061	<0.002	<0.005	<0.005	0.3	0.0077	<0.005	<0.005	0.2	0.99	1.8	<0.005	<0.005	<0.010	BDL									
S-1	11/7/2016	9.1		840	0.11	&																																										

Table 1.

*=split samples with OEP
**=low quality control check
associated with TDS results; suspect results accordingly

Bold Face=at/above the MCL or SMCL

Rumpke Sanitary Landfill
Surface Water Sampling Results

Standards		Field Temp. °C	Dissolved Oxygen mg/l	TDS mg/l	NH3 mg/l	NO2 - NO3 mg/l - N	Cl mg/l	SO4 mg/l	COD mg/l	P mg/L	Turb. NTU	Cond. umhos/cm	Bicarb mg/l	T. Alk. mg/l	Carb mg/l	pH	Hg mg/L	Ca mg/l	Fe mg/l	Mg mg/l	K mg/l	Na mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Cr mg/l	Co mg/l	Cu mg/l	Pb mg/l	Mn mg/l	Ni mg/l	Se mg/l	Ag mg/l	Al mg/l	B mg/l	Sr mg/l	Tl mg/l	V mg/l	Zn mg/l	VOCs		
MCL				10												0.002		0.006	0.01	2	0.004	0.005	0.1						0.05					0.002										
SMCL			500				250	250								6.5-8.5		0.3						1		0.05			0.1						5									
Action Level																								1.3	0.015																			
Stream Sample	Date																																											
	Not Sampled Prior to 2004																																											
S-3	6/7/2010	-		868	0.215	0.486	268	68.8	<50.0	-	35	1400	-	286	-	8.13	-	148	1.81	21.8	3.5	149	<0.0002	<0.002	0.0431	<0.0002	<0.002	0.000857	<0.003	0.00116	0.0508	<0.006	<0.002	<0.0001						<0.0002	<0.004	<0.009	BDL	
S-3	10/14/2010	-		1,590	0.278	0.0243	577	227	187	-	400	2550	339	340	<20.0	7.38	<0.0002	183	1.67	30	26	364	0.00025	0.00383	0.0776	<0.0002	<0.003	<0.002	0.00241	<0.006	0.000981	2.56	<0.009	<0.002	<0.0001						<0.0002	<0.003	<0.016	BDL
S-3	6/28/2011	18.5		528	0.088	0.304	107	44.7	<50.0	0.253	24	873	243	246	<20.0	8.35	<0.0002	104	1.19	13.6	2.26	62.2	<0.001	<0.001	<0.001	<0.001	<0.001	0.00553	<0.001	0.0327	<0.006	<0.01	<0.005						<0.001	<0.02	<0.02	BDL		
S-3	10/25/2011	10.2		560	0.053	0.17	112	52.2	<50.0	<0.1	11	875	244	246	<20.0	8.23	<0.0002	106	0.429	13	2.63	71	<0.001	<0.001	<0.001	<0.001	<0.001	0.0107	<0.001	0.0125	<0.005						<0.001	<0.02	<0.02	BDL				
S-3	6/7/2012	13.5		620	0.113	0.237	134	72.8	<50.0	0.172	14	1050	275	278	<10.0	8.14	<0.0002	131	0.735	19.6	2.36	71	<0.001	<0.001	<0.001	<0.001	<0.001	0.0201	<0.001	0.005	<0.005						<0.001	<0.025	<0.02	BDL				
S-3	10/25/2012	13.2		856	0.115	0.0276	114	46.8	<50.0	0.126	8.9	1380	318	320	<10.0	7.81	<0.0002	143	0.343	21.7	3.22	145	<0.001	<0.001	<0.001	<0.001	<0.001	0.0398	<0.007	<0.01	<0.005						<0.001	<0.025	<0.02	BDL				
S-3	6/12/2013	17.7		724	<0.2	0.384	199	66.6	<10.0	0.245	16.9	1260	313	313	-	8.15	<0.0002	118	1.56	17.8	2.68	101	<0.002	<0.005	0.0405	<0.001	<0.001	0.0025	0.0486	0.00213	<0.005	<0.001				<0.002	<0.005	0.0224	BDL					
S-3	10/8/2013	11.9		491	<0.200	0.262	108	44.5	17.9	0.23	11.6	937	233	233	-	8.03	<0.0002	95.4	0.715	12.7	2.54	65.3	<0.002	<0.005	0.0271	<0.001	<0.002	0.0024	<0.001	0.0227	<0.002	<0.005	<0.001				<0.002	<0.005	<0.020	BDL				
S-3	5/21/2014	15.1	9.9	805	<0.200	0.416	203	67.7	23.8	0.197	9.31	1220	278	281	<5.00	8.31	<0.0002	135	1.23	18.2	1.98	89.5	<0.002	<0.005	0.0388	<0.001	<0.002	0.002	<0.001	0.0377	<0.002	<0.005	<0.001				<0.002	<0.005	<0.020	BDL				
S-3	10/27/2014	10.9	11.3	1,060	<0.200	<0.0500	297	74.3	<10.0	0.15	6.54	1680	344	344	<5.00	7.97	<0.0002	143	0.336	23.3	2.93	175	<0.002	<0.005	0.0387	<0.001	<0.001	<0.002	<0.001	0.0451	<0.002	<0.005	<0.001				<0.002	<0.005	<0.020	BDL				
S-3	6/4/2015	16.2	7.5	838	<0.200	0.665	280	71.3	<10.0	0.179	20.2	1530	269	269	<5.00	8.09	<0.0002	147	0.725	23.5	2.74	138	<0.002	<0.005	0.0425	<0.001	<0.001	0.0254	<0.001	0.002	0.0587	<0.002	<0.005	<0.001				<0.002	<0.005	<0.020	BDL			
S-3	10/6/2015	14.9	9.4	896	<0.200	0.0879	264	59.5	<10.0	0.192	6.85	1480	387	387	<5.00	7.78	<0.0002	128	0.298	21.1	2.81	139	<0.002	<0.005	0.0345	<0.001	<0.001	0.002	<0.001	0.067	<0.002	<0.005	<0.001				<0.002	<0.005	<0.020	BDL				
S-3	5/25/2016	15.0	12.0	870	<0.02	<0.61	180	72	10	0.17	17	1300	330	330	<4.0	7.9	<0.0002	150	0.63	24	1.8	97	<0.005	<0.005	0.038	<0.002	<0.005	<0.005	0.031	<0.005	<0.005	<0.005	1	0.1	0.6	<0.005	<0.005	<0.010	BDL					
S-3	11/7/2016	9.7		870	0.26	<0.45	220	55	20	0.18	5	1000	390	390	<4.0	7.9	<0.0002	140	0.26	24	2.8	130	<0.03	<0.01	<0.004	<0.004	<0.005	<0.005	<0.015	<0.05	<0.03	<0.01	<0.2	0.55	<0.005	<0.05								
S-3	6/1/2017	17.5		610	<0.200	0.729	116</td																																					

Table 1.

*=split samples with OPEA
**=low quality control check
associated with TDS results; suspect results accordingly
Bold Face=at/above the MCL or SMCL

Rumpke Sanitary Landfill
Surface Water Sampling Results

Standards		Field Temp. °C	Dissolved Oxygen mg/l	TDS mg/l	NH3 mg/l	NO2 - NO3 mg/l - N	Cl mg/l	SO4 mg/l	COD mg/l	P mg/L	Turb. NTU	Cond. umhos/cm	Bicarb mg/l	T. Alk. mg/l	Carb mg/l	pH	Hg mg/L	Ca mg/l	Fe mg/l	Mg mg/l	K mg/l	Na mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Cr mg/l	Co mg/l	Cu mg/l	Pb mg/l	Mn mg/l	Ni mg/l	Se mg/l	Ag mg/l	Al mg/l	B mg/l	Sr mg/l	Tl mg/l	V mg/l	Zn mg/l	VOCs						
MCL			500		10	250	250										0.002		0.006	0.01	2	0.004	0.005	0.1														0.002										
SMCL																																												5				
Action Level																																																
Stream Sample	Date																																															
S-10	6/7/2010	-		770	0.178	1.09	233	148	<50.0	-	75	1210	-	206	-	8.07	-	118	2.8	23.4	8.38	145	0.00036	<0.002	0.0492	<0.0002	<0.002	0.0014	0.00369	0.0017	0.0678	<0.007	<0.002	<0.0001								<0.0002	<0.004	0.0117	BDL			
S-10	10/14/2010			Not Sampled - Dry																																												
S-10	6/28/2011	21.5		838	<0.05	0.539	253	232	<50.0	0.112	21	1360	118	118	<20.0	8.13	<0.002	84	1.5	21.5	10.2	143	<0.001	<0.01	0.0418	<0.001	<0.001	0.00138	<0.005	0.00115	0.062	<0.008	<0.01	<0.0005									<0.001	<0.02	<0.024	BDL		
S-10	10/25/2011	11.1		554	0.055	0.17	169	62.5	<50.0	0.141	7.9	1050	215	218	<20.0	8.11	<0.002	97	0.301	13.8	2.9	91.3	<0.001	<0.01	0.0322	<0.001	<0.01	0.0005	<0.005	<0.001	<0.0005											<0.001	<0.02	<0.02	BDL			
S-10	6/7/2012	14.8		644	0.111	0.556	155	85.3	<50.0	0.209	9.3	1080	238	241	<10.0	8.02	<0.002	117	0.367	18.3	3.18	80.6	<0.001	<0.01	0.0385	<0.001	<0.01	0.001	<0.005	0.00123	<0.008	<0.01	<0.0005											<0.001	<0.025	<0.02	BDL	
S-10	10/25/2012	13.9		1200	0.08	0.0552	379	288	<50.0	0.178	30	1980	179	180	<10.0	7.85	<0.002	163	1.16	36.5	12.3	219	<0.001	<0.01	0.0633	<0.001	<0.01	0.0107	<0.005	<0.001	<0.01	<0.005												<0.001	<0.025	<0.02	BDL	
S-10	6/12/2013	18.7		776	<0.200	0.449	221	133	13.4	0.224	42	1290	216	216	-	8.06	<0.002	101	1.68	20.2	6.94	123	<0.002	<0.005	0.0468	<0.001	<0.001	0.0021	0.00103	0.00301	0.00122	0.0861	0.00335	<0.005	<0.001										<0.002	<0.005	0.0268	BDL
S-10	10/8/2013	13.0		517	<0.200	0.498	142	60.8	16	0.25	9.48	893	210	210	-	8.06	<0.002	79.2	0.352	12.4	3.09	94.4	<0.002	<0.005	0.0304	<0.001	<0.01	0.002	<0.005	<0.001	<0.0146	<0.002	<0.005	<0.001											<0.002	<0.005	<0.020	BDL
S-10	5/21/2014	16.2	7.96	886	<0.200	0.339	264	91.5	12	0.188	7.79	1460	284	284	<50.0	8.17	<0.002	133	0.793	19	2.89	143	<0.002	<0.005	0.0546	<0.001	<0.01	0.002	<0.005	<0.005	0.0235	<0.002	<0.005	<0.002	<0.005	<0.020	BDL											
S-10	10/27/2014	12.0	9.50	1150	<0.200	<0.050	468	82.5	<10.0	0.236	8.31	2000	250	250	<5.00	7.93	<0.002	128	0.344	19.5	4.32	238	<0.002	<0.005	0.0505	<0.001	<0.001	0.002	<0.005	<0.001	0.108	<0.002	<0.005	<0.001										<0.002	<0.005	<0.020	BDL	
S-10	6/4/2015	18.0	7.36	1200	<0.200	0.57	491	95.7	10.5	0.227	17.4	2100	227	227	<5.00	7.92	<0.002	150	1.26	23.9	4.06	227	<0.002	<0.005	0.066	<0.001	<0.001	0.031	<0.001	<0.00269	<0.001	0.0923	0.00225	<0.005	<0.001										<0.002	<0.005	<0.020	BDL
S-10	10/6/2015	17.7	8.76	1050	<0.200	0.223	277	271	<10.0	<0.100	17.2	1590	196	196	<5.00	7.99	<0.002	108	1.1	33.6	10.5	149	<0.002	<0.005	0.0432	<0.001	<0.001	0.002	<0.002	<0.001	0.153	0.00417	<0.005	<0.001										<0.002	<0.005	<0.020	BDL	
S-10	5/25/2016	16.0	10.20	860	<0.200	<0.61	170	99	17	0.17	9.4	1300	310	310	<4.0	8	<0.002	130	0.44	23	2.7	120	<0.005	<0.005	0.049	<0.002	<0.005	<0.005	<0.005	<0.005	0.028	<0.005	<0.005	<0.005	0.41	0.08	0.55	<0.005	<0.010	BDL								
S-10	11/7/2016	12.4		820	<0																																											

Table 2.

Bond Road Landfill Ground Water Sampling Results

		Field Temp.	Dissolved Oxygen	TDS mg/l	NH3 mg/l	NO2 - NO3 mg/l - N	Cl mg/l	SO4 mg/l	COD mg/l	P mg/l	Cond. umhos/cm	Alkalinity Bicarb mg/l	T. Alk. mg/l	Alkalinity Carb mg/l	pH	Turb. NTU	Hg mg/L	Ca mg/l	Fe mg/l	Mg mg/l	K mg/l	Na mg/l	Al mg/L	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	B mg/L	Cd mg/l	Cr mg/l	Co mg/l	Cu mg/l	Pb mg/l	Mn mg/l	Ni mg/l	Se mg/l	Sr mg/l	Ag mg/l	Tl mg/l	V mg/l	Zn mg/l	VOCs ug/l			
		MCL		10																																									
		SMCL		500			250	250								6 to 9			0.3																										
Action Level																																													
Stream Sample	Date																																												
B-1	5/26/2010	-		436	0.109	<0.02	52.6	177	<50.0	-	713	-	104	-	8.2	6.8	86.6	0.212	21.4	1.95	31.7		0.0023	<0.003	0.047	<0.0002	<0.0002	0.000826	0.00153	0.000441	0.0471	0.014	<0.003	<0.0001	<0.0002	<0.004	0.0111	BDL							
B-1	10/13/2010	-		354	<0.05	<0.02	47.6	146	<50.0	-	545	-	94	-	8.81	3.3	70.7	0.125	20.6	2.9	30.8		<0.0002	<0.002	0.0155	<0.002	<0.0002	0.000204	<0.001	<0.002	0.0336	<0.0025	<0.002	<0.001	<0.0002	<0.004	<0.007	BDL							
B-1	6/15/2011	-		388	0.063	<0.02	25.5	123	<50.0	0.111	581	177	178	<10.0	8.16	9.5	91	0.441	15	1.82	17.7		0.000522	<0.002	0.0222	<0.0004	<0.0002	<0.002	0.00041	0.00107	<0.0002	0.0242	<0.004	<0.002	<0.0001	<0.0002	<0.004	<0.008	BDL						
B-1	10/18/2011	15.9		291	<0.05	<0.02	24.8	90.4	<50.0	<0.1	481	125	126	<20.0	8.02	3.9	69	<0.0002	69	<0.1	12.9	2.3	16.5		<0.0002	<0.002	0.0134	<0.0002	<0.0002	0.000224	<0.001	<0.0002	0.0597	<0.0025	<0.0045	<0.0001	<0.0002	<0.004	<0.005	BDL					
B-1	6/19/2012	19.5		362	0.309	<0.02	27	103	<50.0	0.241	579	184	184	<10.0	7.18	15	<0.0002	86.8	0.491	15.3	2.63	17.5		<0.1	<0.1	0.0301	<0.005	<0.03	<0.04	<0.02	<0.08	0.648	<0.01	<0.1	<0.04	<0.1	<0.05	BDL							
B-1	10/24/2012	14.4		402	0.098	0.0902	30.9	140	64.1	<0.1	536	100	102	<10.0	8.2	3.9	80.5	0.164	17.7	2.84	20.3		<0.0002	<0.002	0.0209	<0.0002	<0.0002	0.000202	<0.002	<0.002	0.000204	<0.003	<0.002	<0.004	<0.0002	<0.005	<0.005	BDL							
B-1	8/8/2013	23.2		381	0.287	<0.100	32	120	11.8	0.235	604	155	155	<5.0	7.81	5.82	78	0.943	16.9	2.35	21.5		<0.0002	<0.005	0.0213	<0.001	<0.001	<0.002	0.00237	<0.002	<0.001	0.539	<0.0029	<0.005	<0.001	<0.002	<0.005	<0.020	BDL						
B-1	11/1/2013	14		409	0.217	<0.100	34.4	175	16.1	0.193	644	148	148	<5.0	8.27	12	<0.0002	86.3	1.42	18	2.99	21.2		<0.0002	<0.005	0.0273	<0.001	<0.001	<0.002	0.00213	<0.001	<0.001	0.501	<0.00213	<0.005	<0.001	<0.002	<0.005	<0.020	BDL					
B-1	5/28/2014	24.8	9.16	518	<0.200	<0.0500	65.2	190	17	<0.100	738	148	148	<5.00	8.4	1.68	<0.0002	95.1	0.101	18.7	1.69	30.6		<0.0002	<0.005	0.017	<0.001	<0.001	<0.002	0.00204	<0.001	<0.001	0.0999	<0.002	<0.005	<0.001	<0.002	<0.005	<0.020	BDL					
B-1	10/28/2014	16.1		397	<0.200	<0.0500	67	163	20.6	0.146	675	110	110	<5.00	8.04	2.66	<0.0002	72.1	0.333	20.4	2.52	34.7		<0.0002	<0.005	0.0146	<0.001	<0.001	<0.002	0.00492	<0.002	<0.001	<0.001	<0.002	<0.005	<0.001	<0.002	<0.005	<0.020	BDL					
B-1	5/21/2015	20.8	121.5	533	<0.200	<0.0500	65	200	40.7	<0.100	844	173	173	<5.00	8.29	1.52	<0.0002	113	1.84	32.4		<0.0002	<0.005	0.0191	<0.001	<0.0685	<0.001	<0.002	<0.0002	<0.001	<0.005	0.471	<0.001	<0.002	<0.005	<0.020	BDL								
B-1	9/22/2015	19.1		407	<0.200	<0.0500	51.1	136	23.5	0.214	665	134	140	6.76	8.02	7.68	<0.0002	78.1	1.07	20.1	2.69	30.6		<0.0002	<0.005	0.0238	<0.001	<0.001	<0.002	0.002	<0.005	0.251	<0.002	<0.005	<0.001	<0.002	<0.005	<0.020	BDL						
B-1	6/28/2016			570	<0.02	<0.61	55	170	13	<0.05	740	140	140	<4.0	8	2.2	<0.0002	80	0.081	21	1.7	28	0.12	<0.0005	<0.005	0.02	<0.002	0.097	<0.002	<0.005	<0.005	<0.005	0.013	<0.005	0.43	<0.005	<0.005	<0.005	<0.005	<0.01	BDL				
B-1	12/7/2016			510	<10	<0.61	51	130	61	0.079	660	150	150	<4.0	8	5.6	<0.0005	77	<0.02	22	2.4	29	0.76	<0.03	<0.01	<0.1	<0.004	<0.02	<0.004	<0.025	<0.015	<0.05	0.03	<0.05	<0.01	<0.005	<0.05	<0.020	BDL						
B-1	6/30/2017	19.8		346	1.21	<0.0500	21.7	74.4	13.5	0.472	548	166	166	<5.0	7.9	17.7	<0.0002	72.4	0.767	13.7	2.23	14.5	0.443	<0.0002	<0.005	0.025	<0.001	<0.200	<0.001	<0.002	0.00365	<0.001	0.679	<0.002	<0.005	0.253	<0.001	<0.005	<0.020	BDL					
B-1	12/20/2017	6.1		377	1.36	<0.0500	31.4	108	30.7	0.399	616	180	180	<5.0	8	17.3	<0.0002	82	2.32	15.7	3.11	17	1.9	<0.002	<0.005	0.029	<0.001	<0.200	<0.001	0.0024	0.00166	0.00243	<0.001	0.275	<0.00243	<0.005	0.313	<0.001	<0.005	<0.020	BDL				
B-1	6/28/2018	26.3		372	<0.200	<0.0500	38.5	99.5	23.5	<0.100	573	130	130	<5.0	8.3	13.8	<0.0002	67.1	0.477	15.4	2.6	22.4	0.443	<0.0002	<0.005	0.0193	<0.001	<0.100	<0.001	<0.002	0.00384	<0.001	0.0101	0.0187	<0.002	0.005	0.294	<0.001	<0.005	<0.020	BDL				
B-1	12/12/2018	4.1		375	<0.200	0.0719	25.5	101	17	<0.143	598	173	173	<5.0	8	9.69	<0.0002	85.9	0.449	14.8	2.44	16.3	0.439	<0.0002	<0.005	0.0163	<0.001	<0.100	<0.001	<0.002	0.001	<0.005	0.0392	<0.002	<0.005	0.277	<0.001	<0.005	<0.020	BDL					
B-1	6/28/2019	21.6		313	0.813	<0.0500	16.1	73.4	18.4	0.252	497	158	158	<5.0	7.8	16.9	<0.0002	113	2.25	30.5	1.39	31.7	<0.050	<0.002	<0.005	0.579	<0.001	<0.002	<0.001	0.401	<0.00269	0.00265	<0.005	0.256	<0.001	<0.005	0.0637	BDL							
B-1	11/14/2019	3.5		509	0.276	<0.0500	44.5	221	11.8	<0.100	784	144	144	<5.0	8.1	6.0	<0.0002	108	0.324	20	2.36	26.8	0.168	<0.0002	<0.005	0.0199	<0.001	0.145	<0.001	<0.005	0.00757	<0.001	<0.002	0.602	<0.00458	0.005	0.53	<0.001	<0.005	<0.020	BDL				
B-1	6/16/2020	25.2		359	<0.200	<0.0500	26.4	135	16.7	<0.100	586	143	150	7.22	7.2	7.6	<0.0002	76	0.268	16.8	1.76	18.1	0.196	<0.0002	<0.005	0.0161	<0.001	0.145	<0.001	<0.002	0.00507	<0.001	<0.002	0.319	<0.001	<0.005	<0.020	BDL							
B-1	11/19/2020	10.1		329	<0.200	<0.0500	32.1	101	21.5	<0.100	553	127	127	<5.0	8.1	6.3	<0.0002	70.4	0.298	18.9	2.4	23.2	0.162	<0.0002	<0.005	0.0154	<0.001	0.145	<0.001	<0.002	0.001	<0.001	0.0903	<0.002	<0.005	0.358	<0.001	<0.005	<0.020	BDL					
B-1	6/4/2021	18.9		442	<0.200	<0.0500	59.2	129	12.1	0.108	765	173	185	11.8	8.6	9.42	<0.0002	99.1	0.448	19.7	1.87	33.1	0.197	<0.0002	<0.005	0.0179	<0.001	<0.100	<0.001	<0.002	0.001	<0.001	0.126	<0.002	<0.005	0.36	<0.001	<0.005	<0.020	BDL					
B-1	11/16/2021	8.9		377	0.216	0.0614	40.2	143	17.8	<0.100	662	136	136	<5.0	8.7	8.8	<0.0002	81.1	0.258	17.8	2.59	24	0.126	<0.0002	<0.005	0.02	<0.001	<0.116	<0.002	<0.005	0.362	<0.001	<0.005	<0.020	BDL										

Results in mg/l except:

pH=no units

Turbidity=NTU's
Cloudiness

Conductivity=umhos/cm
BDL =Below Detectable Limit

BDL=Below Detectable Limits
Bold=Parameter above drinking

Sulfate (SO_4) = 250 mg/l

Iron (Fe=0.3 mg/l)

Manganese (Mn)=0.05 mg/l

TDS=500 mg/l

**Table 3. BIOLOGICAL STREAM SAMPLING
RUMPKE SANITARY LANDFILL (Location S-1)**

**Table 3. BIOLOGICAL STREAM SAMPLING
RUMPKE SANITARY LANDFILL (Location S-2)**

**Table 3. BIOLOGICAL STREAM SAMPLING
RUMPKE SANITARY LANDFILL (Location S-3)**

Location S-3	GROUP 1 (Higher Quality)			GROUP 2 (Moderate Quality)			GROUP 3 (Lower Quality)			Non-indicative
	Bass	Micropterus	Notropis	Gastropoda	Coleoptera	Etheostoma	Gastropoda	Plecoptera	Amphibia	Conchoecetes (Black Swimmer)
6/7/2010										
10/14/2010										
# 10/14/10										
6/28/2011										
10/25/2011										
6/7/2012	1				1					
10/25/2012										
6/12/2013	2				1	1				
10/8/2013	6*				1* 4*					
5/21/2014							3*			
10/27/2014	3*									
6/3/2015	2				5					
10/6/2015	*									
5/25/2016	1				10					
11/7/2016	3									
6/1/2017										
9/9/2017	1				7					
6/4/2018					1 25					
10/30/2018	5				8					
5/22/2019	1				2					
11/6/2019	1				1					
5/27/2020					16 2 1					
10/27/2020	1				1 1 3					
5/26/2021	1				2 6					
10/21/2021	4				4					

**Table 3. BIOLOGICAL STREAM SAMPLING
RUMPKE SANITARY LANDFILL (Location S-9)**

**Table 3. BIOLOGICAL STREAM SAMPLING
RUMPKE SANITARY LANDFILL (Location S-10)**

**Table 3. BIOLOGICAL STREAM SAMPLING
RUMPKE SANITARY LANDFILL (Location S-11)**

**Table 3. BIOLOGICAL STREAM SAMPLING
RUMPKE SANITARY LANDFILL (Location S-12)**

**Table 3. BIOLOGICAL STREAM SAMPLING
BOND ROAD LANDFILL (Location 1)**

	GROUP 1 (Higher Quality)										GROUP 2 (Moderate Quality)										GROUP 3 (Lower Quality)										Non-indicative																																										
	Bass	Micrapterus	Bluegill	Notropis	Etheostoma	Plethodontinae (Salamander)	Amphibia	Gastropoda	Gastropoda	Coleoptera	Coleoptera	Trichoptera	Ephemeroptera	Plecoptera	Plecoptera	Turtle	Chelydra	Gizzard Shad	Dorosoma	Pimephales	Ranidae (Frogs)	Amphibia	Tadpoles	Amphibia	Pelecypoda	Pelecypoda	Other Clams	Diptera	Diptera	Diptera	Diptera	Stailiidae (Alderfly)	Hemiptera	Dragonfly Nymph	Odonata	Dragonfly Adult	Crane Fly Adult	Ptychopteridae (Phantom Crane Fly)	Scud	Amphipoda	Decapoda	Crayfish	Flat Worm	Turbellaria	Nematoda	Oligochaeta (Aquatic Worm)	Annelida	Hirudinea (Leech)	Physa (Pouch Snail)	Gastropoda	Simuliidae (Blackfly)	Diptera	Tendipedidae Tendipes (Midge)	Diptera	Tendipedidae Psycoda (Northfly)	Diptera	Culex (Mosquito Larva)	Diptera	Culex (Mosquito)	Diptera	Tabanidae (Horsefly Larva)	Diptera	Tubifera (Rat-Tailed Maggot)	Diptera	Unknown Larva	Diptera	Gerridae (Water Strider)	Hemiptera	Notonectidae (Back Swimmer)	Hemiptera	Coixidae (Water Boatman)	Hemiptera	Beliostomatidae (Giant Water Bug)
Location 1																																																																									
5/26/2010	*																																																																								
10/13/2010																																																																									
6/15/2011																																																																									
10/18/2011																																																																									
6/19/2012																																																																									
10/24/2012																																																																									
8/8/2013																																																																									
11/21/2013	Not sampled; pond drained to repair valve																																																																								
5/28/2014	1*																																																																								
10/28/2014	10																																																																								
6/3/2015																																																																									
10/6/2015																																																																									
6/28/2016																																																																									
12/7/2016																																																																									
6/30/2017																																																																									
12/20/2017																																																																									
6/28/2018	1																																																																								
12/12/2018																																																																									
6/28/2019	*																																																																								
11/14/2019	Unable to sample; water level too low.																																																																								
6/16/2020	5																																																																								
11/19/2020																																																																									
6/4/2021																																																																									
11/18/2021																																																																									

* - Observed while sampling

**Table 3. BIOLOGICAL STREAM SAMPLING
BOND ROAD LANDFILL (Location 2)**

	GROUP 1 (Higher Quality)			GROUP 2 (Moderate Quality)			GROUP 3 (Lower Quality)			Non-indicative	
	Bass	Micropterus	Notropis	Etheostoma	Coleoptera	Coleoptera	Coleoptera	Gastropoda	Diptera	Hemiptera	
Shiner				Plethodontidae (Salamander)	Amphibia						
Darter				Lymnaea (Snail)	Gastropoda						
				Planorbidae (Snail)	Gastropoda						
				Dytiscidae (Crawling Water Beetle)	Coleoptera						
				Hydrophilidae (Beetle Larva)	Coleoptera						
				Psephenidae (Water Penny)	Coleoptera						
				Ephemeroptera (Adult Riffle)	Coleoptera						
				Caddis Fly	Trichoptera						
				Mayfly	Ephemeroptera						
				Stonefly Nymph	Plecoptera						
				Stonefly Adult	Plecoptera						
				Snapping Turtle	Chelydra						
				Gizzard Shad	Dorosoma						
				Minnow	Pimephales						
				Ranidae (Frogs)	Amphibia						
				Tadpoles	Amphibia						
				Fingernail Clam	Pelecypoda						
				Other Clams	Pelecypoda						
				Crane Fly Pupae	Diptera						
				Crane Fly Adult	Diptera						
				Polychopteridae (Phantom Crane Fly)	Diptera						
				Sialidae (Alderfly)	Hemiptera						
				Dragonfly Nymph	Odonata						
				Dragonfly Adult	Odonata						
				Damsel Fly Nymph	Odonata						
				Damsel Fly Adult	Odonata						
				Sow Bug	Isopoda						
				Scud	Amphipoda						
				Crayfish	Decapoda						
						Turbellaria					
						Nematoda					
						Annelida					
						Annelida					
							Gastropoda				
							Diptera				
							Diptera				
							Tendipedidae Tendipes (Midge)				
							Tendipedidae Psychoda (Northfly)				
							Culex (Mosquito Larva)				
							Culex (Mosquito)				
							Tabanidae (Horsefly Larva)				
							Tabanidae (Horsefly)				
							Diptera				
							Tubifera (Rai-Tailed Maggot)				
							Diptera				
							Genidae (Water Strider)				
							Notoneuriidae (Back Swimmer)				
							Corixidae (Water Boatman)				
							Belostomatidae (Giant Water Bug)				
							Hemiptera				

* - Observed while sampling

- Sampled with Hester Dendy

^ - All Dead